

INDEX 1962, Nos. 1-4

NEW NAMES

- Aethotaxis*, 826
Aethotaxis mitopteryx, 826
amabilis, *Crotalus willardi*, 160
benderensis, *Ictalurus*, 517
bolini, *Lepadichthys*, 424
Bolitoglossa orestes, 171
clippertonensis, *Ophioblennius steindachneri*, 431
Cnemidophorus cozumelus rodecki, 624
cozumelus rodecki, *Cnemidophorus*, 624
crassilabrum, *Phenacobius*, 369
Crotalus willardi amabilis, 160
dearborni, *Rhigophila*, 821
dunklei, *Onchopristis*, 775
Etheostoma pallididorsum, 556
Gambusia longispinis, 391
Gambusia marshi, 393
Geochelone johnstoni, 627
Gyrinophilus palleucus necturoides, 301
Ictalurus benderensis, 517
Ictalurus sawrockensis, 514
johnstoni, *Geochelone*, 627
lanceolatus, *Microdesmus*, 331
Lepadichthys bolini, 424
longispinis, *Gambusia*, 391
marshi, *Gambusia*, 393
medinae, *Phyllomedusa*, 588
megalepis, *Notropis*, 511
Microdesmus lanceolatus, 331
mitopteryx, *Aethotaxis*, 826
necturoides, *Gyrinophilus palleucus*, 301
Notropis megalepis, 511
Onchopristis dunklei, 775
Ophioblennius steindachneri clippertonensis, 431
Oreolalax, 289
orestes, *Bolitoglossa*, 171
palleucus necturoides, *Gyrinophilus*, 301
pallididorsum, *Etheostoma*, 556
Phenacobius crassilabrum, 369
Phyllomedusa medinae, 588
Rhigophila, 820
Rhigophila dearborni, 821
rodecki, *Cnemidophorus cozumelus*, 624
sawrockensis, *Ictalurus*, 514
steindachneri clippertonensis, *Ophioblennius*, 431
willardi amabilis, *Crotalus*, 160

ESTABLISHED NAMES

- Ablennes*, 153
hians, 152-160
Abramis brama, 386
Abudejduf, 444
saxatilis, 443
acanthi, *Rana magna*, 694
Acanthorhodeus, 389
chankaensis, 378
chirurgus, 565
Acer, 318
Acerina, 100, 109
Achatina fulica, 737
Acheilognathus, 379, 389
lanceolatus, 377-90
lanceolatus × *Rhodeus ocellatus*, 380-2, 386-7, 777
Acris, 256, 434
cf. Acris crepitans, 255-6
crepitans, 256, 260, 434, 736
gryllus, 434
acus, *Strongylura*, 460
acus, *Tylosurus*, 152-60
adamanteus, *Crotalus*, 208-9, 312, 438
adenopleura, *Rana*, 722
Adodonta woodiana, 786
adspersa, *Bolitoglossa*, 172-6
Aclurophryne, 287-90
mammata, 288
aestivalis, *Hybopsis*, 532-9
aestivus, *Opheodrys*, 255, 259-60
aethiopicus, *Microdesmus*, 332
aethiops, *Cnemidophorus tigris*, 750, 764
Aethotaxis, 826-32
mitopteryx, 826-31
affinis, *Gambusia*, 393, 396-400
affinis, *Microdesmus*, 332
affinis, *Pituophis catenifer*, 438
agassizii, *Gopherus*, 318
Agkistrodon, 285
bilineatus bilineatus, 438
contortrix, 312, 640
contortrix laticinctus, 438

INDEX 1962, Nos. 1-4

NEW NAMES

- Aethotaxis*, 826
Aethotaxis mitopteryx, 826
amabilis, *Crotalus willardi*, 160
benderensis, *Ictalurus*, 517
bolini, *Lepadichthys*, 424
Bolitoglossa orestes, 171
clippertonensis, *Ophioblennius steindachneri*, 431
Cnemidophorus cozumelus rodecki, 624
cozumelus rodecki, *Cnemidophorus*, 624
crassilabrum, *Phenacobius*, 369
Crotalus willardi amabilis, 160
dearborni, *Rhigophila*, 821
dunklei, *Onchopristis*, 775
Etheostoma pallididorsum, 556
Gambusia longispinis, 391
Gambusia marshi, 393
Geochelone johnstoni, 627
Gyrinophilus palleucus necturoides, 301
Ictalurus benderensis, 517
Ictalurus sawrockensis, 514
johnstoni, *Geochelone*, 627
lanceolatus, *Microdesmus*, 331
Lepadichthys bolini, 424
longispinis, *Gambusia*, 391
marshi, *Gambusia*, 393
medinae, *Phyllomedusa*, 588
megalepis, *Notropis*, 511
Microdesmus lanceolatus, 331
mitopteryx, *Aethotaxis*, 826
necturoides, *Gyrinophilus palleucus*, 301
Notropis megalepis, 511
Onchopristis dunklei, 775
Ophioblennius steindachneri clippertonensis, 431
Oreolalax, 289
orestes, *Bolitoglossa*, 171
palleucus necturoides, *Gyrinophilus*, 301
pallididorsum, *Etheostoma*, 556
Phenacobius crassilabrum, 369
Phyllomedusa medinae, 588
Rhigophila, 820
Rhigophila dearborni, 821
rodecki, *Cnemidophorus cozumelus*, 624
sawrockensis, *Ictalurus*, 514
steindachneri clippertonensis, *Ophioblennius*, 431
willardi amabilis, *Crotalus*, 160

ESTABLISHED NAMES

- Ablennes*, 153
hians, 152-160
Abramis brama, 386
Abudejduf, 444
saxatilis, 443
acanthi, *Rana magna*, 694
Acanthorhodeus, 389
chankaensis, 378
chirurgus, 565
Acer, 318
Acerina, 100, 109
Achatina fulica, 737
Acheilognathus, 379, 389
lanceolatus, 377-90
lanceolatus × *Rhodeus ocellatus*, 380-2, 386-7, 777
Acris, 256, 434
cf. Acris crepitans, 255-6
crepitans, 256, 260, 434, 736
gryllus, 434
acus, *Strongylura*, 460
acus, *Tylosurus*, 152-60
adamanteus, *Crotalus*, 208-9, 312, 438
adenopleura, *Rana*, 722
Adodonta woodiana, 786
adspersa, *Bolitoglossa*, 172-6
Aclurophryne, 287-90
mammata, 288
aestivalis, *Hybopsis*, 532-9
aestivus, *Opheodrys*, 255, 259-60
aethiopicus, *Microdesmus*, 332
aethiops, *Cnemidophorus tigris*, 750, 764
Aethotaxis, 826-32
mitopteryx, 826-31
affinis, *Gambusia*, 393, 396-400
affinis, *Microdesmus*, 332
affinis, *Pituophis catenifer*, 438
agassizii, *Gopherus*, 318
Agkistrodon, 285
bilineatus bilineatus, 438
contortrix, 312, 640
contortrix laticinctus, 438

- contortrix mokeson*, 640
contortrix pictigaster, 438
alalunga, *Thunnus*, 219
alba, *Amphisbaena*, 166
albacares, *Thunnus*, 219, 423, 468
albicans, *Istiophorus*, 453
albida, *Makaira*, 453, 846
albidus, *Tetrapturus*, 216
albigutta, *Pagalichthys*, 460, 854
Albula vulpes, 565
Alburnops
 illecebrosus, 808-9
 shumardi, 808
alcorni, *Phyllomedusa*, 589
Alepisaurus, 846
alleni, *Liodytes*, 258
almeida, *Belone*, 155
Alocasia macrorrhiza, 697
altamazonica, *Bolitoglossa*, 170-6
altamazonicus, *Oedipus*, 173
alterna, *Lampropeltis*, 291-9
alterna, *Lampropeltis mexicana*, 291-9
alternus, *Ophibolus*, 298
alticola, *Scutiger*, 288, 290
Alticus macclurei, 433
altipinna, *Belone*, 155
altus, *Pseudopriacanthus*, 417-24
alvarius, *Bufo*, 761
amabilis, *Crotalus willardi*, 160-3
amabilis, *Notropis*, 818
Amanses pullus, 444
amarus, *Rhodeus*, 378
amarus sericeus, *Rhodeus*, 378, 777-88
amarus sericeus, *Rhodeus* × *ocellatus* *ocel-*
 latus, *Rhodeus*, 777, 779, 785
Ambassis, 565
Ambloplites rupestris, 516
amblops, *Hybopsis*, 843
Amblyopsis, 110
 spelaea, 662
Ambystoma, 255, 260, 322
 cingulatum, 255
 gracile, 180
 laterale, 255
 macrodictylum, 255, 576-87
 maculatum, 255
 opacum, 255, 576-87
 sp. indet., 255
 talpoideum, 255
 texanum, 255
 tigrinum, 255
ameghini, *Pseudopaludicola*, 198
ameiurus, 340
americana, *Dasyatis*, 458
americanus americanus, *Esox*, 114-23
americanus, *Bufo*, 256
americanus, *Esox*, 114-8, 509
americanus, *Odontophrynus*, 182
americanus, *Pseudopleuronectes*, 139
americanus vermiculatus, *Esox*, 114
Amia calva, 506-7
amissus, *Dissostichus*, 658
amissus, *Macrias*, 657, 659
Ammocoetes, 222
Ammocrypta asprella, 807
ammodytes, *Vipera*, 313-5
amnis, *Notropis*, 807
amoenus, *Notropis*, 817
amphibium, *Polygonum*, 740
Amphibolurus, 284
Amphisbaena
 alba, 166
 neglecta, 164-70
 silvestrii, 164-70
Amphiuma means, 576-87
ampla, *Makaira*, 453
amulae, *Tomodactylus*, 198
Amyzon, 340
Anago, 110
Anatolichthys, 528
Anchoa, 460
 hepsetus, 460
andersoni, *Hyla*, 689
andicola, *Bolitoglossa*, 177
Aneides, 601
 ferreus, 181
angolensis dubius, *Typhlops*, 590-7
Anguilla anguilla, 584
angulifer, *Epicrates*, 438
angusticeps, *Cnemidophorus*, 622
angustus, *Dendroaspis*, 314
angustus, *Sator*, 614
Anhydrophryne, 722
annularis, *Pomoxis*, 514
annulata, *Oreophryne*, 680
Anodonta, 786
Anolis, 188, 644-5, 764
 barkeri, 640-2
anomalum, *Campostoma*, 407, 410, 560
anomalum pullum, *Campostoma*, 407-17
Anoptichthys, 110
 jordani, 365
Ansonia muelleri, 680
Antennatus, 440
 strigatus, 440
Aphaniops, 528
Aphredoderus sayanus, 120
Aplodinotus, 338, 345, 510, 515, 517, 519
 grunniens, 336-8, 349-50, 516
apodus, *Ophisaurus*, 318
appendiculatus, *Rhacophorus*, 680
approximans, *Holbrookia maculata*, 186
Archosargus probatocephalus, 456-7
arcuatus, *Rhineastes*, 340

- ardeola*, *Belone*, 155
arenarum, *Bufo*, 182-5
arenicola, *Stilosoma extenuatum*, 648-9
areolata, *Rana*, 257
argala, *Belone*, 152-60
argentea, *Steindachneria*, 443
argyreornatus, *Eleutherodactylus*, 198
arietans, *Bitis*, 314-5, 438
ariommus, *Notropis*, 818
Aristelliger, 644
Arizona elegans, 761-2
Artemia, 469
Arthroleptella, 722
Arthroleptis, 836
Ascapheus, 712
Aspasma minima, 852
Aspasmichthys ciconiae, 852
Aspatharia wahlbergi, 777-8, 783
asper, *Hylodes*, 196
asper, *Lepidobatrachus*, 182-3
Aspis cerastes, 438
aspis, *Vipera*, 309-10, 312, 315, 591
Asplenium nidus, 699
asprella, *Ammocrypta*, 807
Astroscoptes, 462
 y-graecum, 837-8
 guttatus, 462
Astyanax mexicanus, 365-6, 562
atami, *Paramyxine*, 471-3, 800, 805-6
atherinoides, *Notropis*, 807, 815, 817-8.
atlanticus, *Ophioblennius*, 426-33
atlanticus macclurei, *Ophioblennius*, 426-33
atromaculatus, *Semotilus*, 410, 414-5, 560
atrox, *Crotalus*, 306-13, 438
Atta, 642
augusti, *Eleutherodactylus*, 299
Aulichthys, 549
 japonicus, 549
Aulorhynchus, 549-52, 554
 flavidus, 549-55
auratus, *Carassius*, 543, 562
auriculatus, *Desmognathus fuscus*, 212
aurora, *Sebastodes*, 847

baconii, *Cyprinodon*, 836-7
badis, *Badis*, 346-60
baileyi, *Crenichthys*, 522-32
bairdi, *Cottus*, 848-50
baldwini, *Serranus*, 852
baleata, *Kaloula*, 724
balistae, *Caligus*, 443
Balistes, 793-4
 forcipatus, 796
bangsi, *Pseudemys rubriventris*, 649
barbatus, *Ichthyoscopus*, 462
barbatus, *Nemachilus*, 584
Barbini, 378

Barbourula busuangensis, 724
Barbus stigma, 467
barkeri, *Anolis*, 640-2
Bathhydraco, 827
 wohlschlagi, 829, 831
Bathygobius soporator, 355
Batrachoseps, 180, 207, 601
 wrightii, 180-1
Batrachus, 111
Batrachycthis, 201
Batrachyla, 197
 leptopus, 197
 longipes, 197
baudini, *Hyla*, 434
baudini, *Smilisca*, 256
Bdellostoma, 471
bellii, *Chrysemys picta*, 571, 574
Belone, 153
 almeida, 155
 altipinna, 155
 ardeola, 155
 argala, 152-60
 caribbaeus, 155
 cigonella, 155
 crassa, 155
 depressa, 155
 diplotaenia, 155
 galeata, 155
 gerania, 155
 hians, 155
 jonesi, 155
 latimana, 155
 maculata, 155
 melanochira, 155
 microps, 155
 notata, 155
 scutator, 155
 subtruncata, 155
 truncata, 155
benderensis, *Ictalurus*, 505-20
berlandieri, *Rana pipiens*, 259
bermudana, *Jenkinsia*, 659
berus, *Vipera*, 310, 312
beryllina, *Menida*, 109-14, 460
Betta
 splendens, 358
 taeniata, 358
bibroni, *Pleurodema*, 182-4
bicolor, *Loxocemus*, 438
bicolor, *Phyllomedusa*, 589
bifrenatus, *Notropis*, 543
bilineatus bilineatus, *Agkistrodon*, 438
bilineatus, *Masticophis*, 761-2
bimaculatus, *Pseudoxiphophorus*, 368
Bipes biporus, 644
biporcatus, *Strabomantis*, 197
biporus, *Bipes*, 644

bislineata, *Eurycea*, 305, 727-8, 730

Bitis

arietans, 314-5, 438

gabonica, 315

gabonica gabonica, 438

nasicornis, 313-5

blairi × *alterna*, *Lampropeltis mexicana*, 296, 299

blairi, *Lampropeltis*, 291-9

blairi, *Lampropeltis mexicana*, 291-9

blennius, *Notropis*, 807, 843

Blennius

pholis, 562

truncatus, 432

Blennoptis, 426

webbi, 428, 432

Boa constrictor imperator × *constrictor*, 438

boettgeri, *Hymenochirus*, 272-83

Boiga, 284

bolini, *Lepadichthys*, 424-5

Bolitoglossa, 170-7

adspersa, 172-6

altamazonica, 170-6

andicola, 177

borburata, 171-7

colonnea, 176

orestes, 170-7

palmeta, 170-7

paraensis, 177

peruviana, 177

bombifrons, *Scaphiopus*, 761

Bombinator, 288

sikkimensis, 288

bonariensis, *Priacanthus*, 422

bondi, *Cyprinodon*, 837

boops, *Cookeolus*, 417-24

boops, *Notropis*, 808-10

boops, *Priacanthus*, 422

borburata, *Bolitoglossa*, 171-7

borealis, *Kaloula*, 724

boreas, *Bufo*, 256

bosci, *Gobiosoma*, 460

Bothrops, 315

Bothus ocellatus, 565

boulengeri, *Hymenochirus*, 273

boulengeri, *Oreophis*, 298

boulengeri, *Rana*, 720

boylii, *Rana*, 257

Brachydanio rerio, 562, 788-92

Brachyistius frenatus, 552

brachystoma, *Thamnophis*, 258-9

brama, *Abramis*, 386

braminus, *Typhlops*, 590

brazosensis, *Notropis*, 807-15

Breviceps, 722

brevipes, *Lycodes*, 819

brevipes, *Pelophryne*, 680

brevipes, *Scutigera*, 290

breviradius, *Cyprinodon*, 529

brevirostris, *Negaprion*, 455-7

Brevoortia, 460

patronus, 460-1

smithi, 461

Brotuloides emmels, 487-98

brunneus, *Ilyophis*, 664

bubalus cf., *Ictiobus*, 509-10

buchanani, *Notropis*, 807

Bufo, 184, 200, 230, 244, 256, 586, 762

alvarius, 761

americanus, 256

arenarum, 182-5

boreas, 256

bufo spinosus, 643

cognatus, 256

compactilis, 256

debilis, 761

exsul, 256

fowleri, 439, 773

granulosus fernandezae, 182-4

granulosus major, 182-5

mammata, 288, 290

marinus, 182-4, 256

marinus (group), 184

melanostictus, 268, 736-40

paracnemis, 182-4

punctatus, 256, 299

quercicus, 256

regularis, 256, 740

speciosus, 299

spinosus, 643

spinulosus, 182-3

terrestris, 256

valliceps, 773

viridis, 256

viridis viridis, 643

woodhousei, 255-6, 260

bufonina, *Pleurodema*, 182-3

bufonius, *Leptodactylus*, 182-5

Bungarus fasciatus, 314, 316

burgeri, *Eptatretus*, 471, 800-7

bursarius, *Triodon*, 793-800

busuangensis, *Barbourula*, 724

Caecobarbus, 110

caffer, *Unio*, 777-8, 783

californiae, *Hyla*, 256

californica, *Oxyjulis*, 554

californicus, *Paralichthys*, 139

Caligus balistae, 443

callidryas, *Phyllomedusa*, 590

calligaster, *Lampropeltis*, 292, 298

Callisaurus, 185-8, 437-8, 672

draconoides, 761

- draconoides gabbi* \times *ventralis*, 187
calva, *Amia*, 506-7, 519
Calyptocephala, 200
Calyptocephalella, 201
gayi, 182-4
Calyptocephalus, 195-201
gayi, 200-1
Camponotus gigas, 737
Campostoma, 408-17, 538
anomalum, 407, 410, 560
anomalum pullum, 407-17
cana, *Ficinia*, 761
cancrivora, *cancrivora*, *Rana*, 680-1, 684-90,
 710-23
cancrivora, *Rana*, 268, 723
candalarius, *Profundulus*, 522, 524
canescens, *Zanclus*, 844
caninus, *Corallus*, 438
Canthidermis sobaco, 443
capito, *Rana*, 257
Caranx crysos, 846
Carassius, 110
auratus, 543, 562
Carcharhinus leucas, 455-6, 654
Carcharhinus longimanus, 653-5
carcharias, *carcharodon*, 446-7, 462, 659-61
Carcharias taurus, 456-7
carcharias, *Carcharodon*, 446-7, 462, 659-61
caribbaeus, *Belone*, 155
carinatus, *Echis*, 313-5
carpio, *Cyprinus*, 386
carpio nuda, *Cyprinus*, 584
Carpiodes-ictiobus, 340
caspica, *Glemmys*, 320
caspicus, *Rutilus*, 386
catesbeiana, *Rana*, 257, 642-3
catenata, *Echidna*, 664
catenatus, *Sistrurus*, 761
catenifer affinis, *Pituophis*, 438
catenifer sayi, *Pituophis*, 438
Catostomus, 340
catostomus, *Phenacobius*, 369-77
catus, *Ictalurus*, 344
Caudiverbera, 195-201
caudiverbera, 195
cristatus, 201
feuillaei, 201
gayi, 195
peruviana, 200-1
quoyii, 201
cavalla, *Scomberomorus*, 846
cavicola (group), *Leptodactylus*, 184
cayugensis, *Rhaphidascaris*, 123
Cemophora, 637-8
coccinea, 637-8
Centropomus undecimalis, 456
cephalus, *Mugil*, 453, 459-60, 547, 663
cerasinus, *Notropis*, 408
cerastes, *Aspis*, 438
Ceratophrys, 198
ornata, 182-5
cernua, *Flourensia*, 756
Cetorhinus maximus, 446
Chaedopterus faber, 457
Chaenobryttus
gulosus, 120, 512-3
kansasensis, 505-20
chaetodon, *Enneacanthus*, 120
chalybaeus, *Notropis*, 543
Chamaelo, 200
chamberlaini, *Hudsonius*, 809
chamberlaini, *Hybopsis*, 809
chamberlaini, *Notropis*, 809-10
champsonotus, *Placosoma cordylinum*, 834-5
champsonotus, *Prinodactylus*, 833
chankaensis, *Acanthorhodeus*, 378
chaquensis, *Leptodactylus*, 182-4
Chasmistes, 340
Chasmodes saburrae, 460
Chelonia mydas, 647-8
chii, *Acheilognathus*, 379
Chilomeniscus cinctus, 644
Chilonycteris rubiginosa mexicana, 367
Chionodraco myersi, 826, 829, 833
chirurgus, *Acanthurus*, 565
Chologaster cornutus, 120
Chriopeops, 528
Chrosomus, 149
eos, 147-52
eos \times *C. neogaeus*, 147
erythrogaster, 843
neogaeus, 147-52
oreas, 408
Chrysemys
picta, 570-5
picta bellii, 571, 574
picta dorsalis, 574
picta marginata, 571
picta picta, 574
ciconiae, *Aspasmichthys*, 852
cigonella, *Belone*, 155
cinctus, *Chilomeniscus*, 644
cinerea, *Hyla*, 256, 434
cinereus, *Muraenesox*, 664-5
cinereus, *Plethodon*, 206-7, 574
cinereus, *Sphaerodactylus*, 644-5
cingulatum, *Ambystoma*, 255
cingulum, *Masticophis flagellum*, 761
cirrhatus, *Heptatrema*, 800
cirrhatus, *Eptatretus*, 800, 803
Cirripectus, 426
clamitans, *Rana*, 257
clarki, *Pseudacris*, 213-5
clarkii, *Salmo*, 405

- clarki-nigrita*, *Pseudacris*, 213-5
clathratus, *Paralabrax*, 552, 555
Clemys caspica, 320
clippertonensis steindachneri, *Ophioblennius*, 426-33
clivii, *Xenopus*, 280
Clupea, 110
 harengus, 463
 harengus harengus, 217
 lamprotaenia, 659
Cnemidophorus, 210, 620-6, 749, 752, 768, 773
 angusticeps, 622
 cozumelus, 620-6
 cozumelus cozumelus, 621-6
 cozumelus rodecki, 620-6
 deppei, 620-6
 deppei cozumela, 620, 622
 deppei deppei, 620, 624
 exsanguis, 773
 guttatus, 621
 inornatus, 761, 773
 lineatissimus, 621
 perplexus, 210-1, 761
 sexlineatus, 773
 sexlineatus (group), 210
 sp., 299
 tessellatus, 750, 761, 773
 tigris, 749-65, 767-74
 tigris aethiops, 750, 764
 tigris gracilis, 749-65, 767-74
 tigris marmoratus, 749-65, 767-74
 tigris marmoratus \times *gracilis*, 754-5, 765
 tigris septentrionalis, 764
 tigris tigris, 764
 tigris variolosus, 764
coccinea, *Cemophora*, 637-8
coccinotaenia, *Lepadichthys*, 425
cocosa, *Echidna*, 664
Coecula, 110
cognatus, *Bufo*, 256
Coleonyx, 762
 variegatus, 761-2
Colomba livia, 182-3
colombianum, *Rhinatrema*, 636
colonnea, *Bolitoglossa*, 176
Coluber, 255, 259-60
 constrictor, 259
 constrictor mormon, 212
 najadum, 318
 ordinatus, 741
 parietalis, 741
 proximus, 741
 saurita, 741
compactilis, *Bufo*, 256
confluentus, *Fundulus*, 460
Conger marginatus, 664
coniceps, *Muranosox*, 664-5
Conidens
 laticephalus, 851-2
 samoensis, 425
conjuncta meridionalis, *Kaloula*, 680, 716
conjuncta negrosensis, *Kaloula*, 681, 684, 714-21, 723
Conodon nobilis, 443
constrictor, *Coluber*, 259
constrictor imperator \times *constrictor*, *Boa*, 438
constrictor mormon, *Coluber*, 212
contortrix, *Agkistrodon*, 312, 640
contortrix laticinctus, *Agkistrodon*, 438
contortrix mokeson, *Agkistrodon*, 640
contortrix pictigaster, *Agkistrodon*, 438
Cookeolus, 418
 boops, 417-24
 japonicus, 423
Cophophryne, 288
Corallus caninus, 438
cordylinum champsonotus, *Placosoma*, 834-5
cordylinum, *Placosoma*, 833
Corethra, 274, 281
coriacea schlegelii, *Dermochelys*, 646
Cornufer, 679-80, 684, 700, 721-3
 guentheri, 680-1, 699-707, 719-21, 723
 hazela, 681, 700-4, 707, 719-20, 723
 meyeri, 681, 700-2, 704-7, 719-20, 723
 pelewensis, 721, 723
cornutum, *Phrynosoma*, 761
cornutus, *Chologaster*, 120
cornutus (group), *Eleuthrodactylus*, 200
cornutus, *Limnophys*, 197-8
cornutus, *Notropis*, 410, 413-5, 450-2, 817
Coronella mexicana, 298
corporalis, *Semotilus*, 410
Corvina, 110, 336
Coryphaena, 433
 hippurus, 655
 longimanus, 656
Cosymbotus platyurus, 262-8
Cottus
 bairdi, 848-50
 girardi, 848, 850
 scorpius, 562
cozumela, *Cnemidophorus deppei*, 620, 622
cozumelus, *Cnemidophorus*, 620-6
cozumelus rodecki, *Cnemidophorus*, 620-6
cragini, *Etheostoma*, 556, 560-1
craspedopus, *Phyllomedusa*, 590
crassa, *Belone*, 155
crassilabrum, *Phenacobius*, 369-77
Craugastor, 197
Crenichthys, 520-32
 baileyi, 522-32
 nevadae, 522-32

- crepitans*, *Acris*, 255-6, 260, 434, 736
cristatus, *Caudiuverbera*, 201
Crocodylus, 200
 niloticus, 203-5
Crotalus, 284-5, 315
 adamanteus, 208-9, 312, 438
 atrox, 306-13, 438
 horridus horridus, 438
 scutulatus scutulatus \times *unicolor*, 438
 unicolor, 438
 viridis, 311-2
 viridis lutosus, 312
 viridis oreganus, 312
 willardi, 160-3
 willardi amabilis, 160-3
 willardi meridionalis, 160-3
 willardi silus, 160-3
 willardi willardi, 160-3
crucifer, *Hyla*, 256, 434
cruentatus, *Priacanthus*, 417-24
crysos, *Caranx*, 846
Ctenocranius, 198
 koki, 198
Ctenopoma, 359
Ctenosaura, 186
 hemilopha, 644
 pectinata, 614
cubensis, *Rupiscartes*, 433
Culex, 274
cuniculus, *Oryctolagus*, 182-3
curema, *Mugil*, 460
curryi, *Fundulus*, 529-30
curtipes, *Hymenochirus*, 272-83
curtus curtus, *Pytho*, 438
cuvier, *Galeocerdo*, 457, 655, 846
cyanellus cf., *Lepomis*, 516
cyanura, *Emoia*, 262, 266
cyclopion, *Natrix*, 258
Cyclops, 274, 281
cylindrica, *Imperata*, 681
cynoglossus, *Glyptocephalus*, 139
Cynoscartes, 427-8
Cynoscion nebulosus, 544-8
Cyprinella, 374, 537
cyprinellus, *Ictiobus*, 509
Cyprinodon, 523, 529, 836-7
 baconi, 836-7
 bondi, 837
 breviradius, 529
 dearborni, 837
 jamaicensis, 837
 laciniatus, 837
 variegatus, 528, 836-7
Cyprinus, 110
 carpio, 386
 carpio nuda, 584
cyrtopsis, *Thamnophis*, 299
dacnicolor, *Phyllomedusa*, 256, 589
Dallia pectoralis, 124-30
danielsi, *Gyrinophilus*, 727-9, 731
Daphnia, 274
darwini, *Rhinoderma*, 722
Dasyatis americana, 458
dauidae, *Fundulus*, 529-30
davyi fulvus, *Pteronotus*, 367
dearborni, *Cyprinodon*, 837
dearborni, *Rhigophila*, 819-26
debilis, *Bufo*, 761
dekayi, *Storeria*, 255, 258-60
Demansia, 284
Dendroaspis, 314
 angusticeps, 314
 jamesoni, 314
Dendrophis, 284
Denisonia, 284
dentatus, *Paralichthys*, 468, 854
denticulata, *Testudo*, 318
deppei, *Cnemidophorus*, 620-6
deppei cozumelus, *Cnemidophorus*, 620, 622
deppei deppei, *Cnemidophorus*, 620, 624
depressa, *Belone*, 155
Dermochelys coriacea schlegelii, 646
Desmognathus, 215, 601
 fuscus, 215-6
 fuscus auriculatus, 212
 monticolus, 215-6
 ochrophaeus, 215-6, 730
 planiceps, 215-6
 quadramaculatus, 215
detillae, *Fundulus*, 512
Diadophis, 285
Dicamptodon, 647
 ensatus, 576-87
 viridescens, 576-87
Diodon, 793
Dionda nubila, 532-39
Diplodactylus, 284
diplotaenia, *Belone*, 155
Discodeles opisthodon, 721
discoidalis, *Eleutherodactylus*, 182-3
dissimilis, *Mabuya*, 271
Dissostichus, 827
 amissus, 658
 eleginoides, 658
 mawsoni, 658
doliata, *Lampropeltis*, 292-3
doliata triangulum, *Lampropeltis*, 438
Dorosoma petenense, 502
dorsalis, *Chrysemys picta*, 574
doryssus, *Gasterosteus*, 529
draconoides, *Callisaurus*, 761

- draconoides gabbi* \times *ventralis*, *Callisaurus*, 187
- Dreissensia*, 786
- Drosophila*, 786
- dubius*, *Typhlops angolensis*, 590-7
- dulcis*, *Leptotyphlops*, 590
- dunklei*, *Onchopristis*, 775-7
- dunni*, *Plethodon*, 180
- Dussumieria stolidifera*, 659
- Echidna*
- catenata*, 664
 - cocosa*, 664
 - nebulosa*, 664
 - scabra*, 664
 - zebra*, 664
- Echis*, 314-6
- carinatus*, 313-5
- Edalorhina*, 198
- edentulus*, *Salarias*, 433
- Egernia*, 284
- egregius*, *Eumeces*, 438
- eivittatus*, *Python*, 438
- Elaphe*
- guttata guttata*, 436-7
 - obsoleta*, 299
 - subocularis*, 298
- Elaphrosauria*, 829
- spitzii*, 833, 835
- Elassoma zonatum*, 120
- elata*, *Yucca*, 756
- elegans*, *Arizona*, 761-2
- elegans*, *Pseudemys*, 575
- elegans*, *Thamnophis*, 595
- elaginoides*, *Dissostichus*, 658
- Eleginops*, 829
- elephantina*, *Testudo*, 318
- Eleutherodactylus*, 183, 195-201, 679, 722
- argyreornatus*, 198
 - augusti*, 299
 - cornutus* (group), 200
 - discoidalis*, 182-3
 - gollmeri*, 196
 - guentheri*, 196
 - heterodactylus*, 199
 - martinicensis*, 197, 199
- elongata*, *Nemamyxine*, 471
- Elops saurus*, 456
- Elosia*, 195-201
- nasulus*, 196
 - nasuta*, 196
- emmelas*, *Brotuloides*, 487-98
- Emoia*, 262, 265
- cyanura*, 262, 266
 - wernerii*, 262, 266
- Empetrichthys erdisi*, 520-32
- latos*, 522-32
 - merriami*, 520-32
- Enneacanthus*
- chaetodon*, 120
 - gloriosus*, 120
- Ensatina*, 207, 730
- eschschoitzii*, 180, 601
 - eschschoitzii platensis*, 201
- ensatus*, *Dicamptodon*, 576-87
- Enydriobius*, 196
- eos*, *Chrosomus*, 147-52
- Ephedra*, 756
- Epicrates angulifer*, 438
- Epinephalus striatus*, 447, 449
- Epirhexis*, 197
- Eplatretus*, 471
- burgeri*, 471, 800-7
 - cirratus*, 800, 803
 - hexatrema*, 800, 805
 - okinoseanus*, 800
 - profundum*, 806
 - stoutii*, 472
- equicomes*, *Geochelone*, 627-33
- equicomes*, *Geochelone* (*Hesperotestudo*), 630
- equicomes*, *Testudo*, 630
- erdisi*, *Empetrichthys*, 520-32
- erdisi*, *Parafundulus*, 523-4
- Eretmochelys imbricata*, 647-8
- erhardii gaigeae*, *Lacerta*, 321
- Erimystax*, 537
- Erimyzon sucetta*, 120
- erythraea*, *Rana*, 680, 688, 691, 719-21
- erythraeus*, *Ophioblennius*, 428-31
- erythrogaster*, *Chrosomus*, 843
- erythrogaster*, *Natrix*, 258
- eschschoitzii*, *Ensatina*, 180, 601
- eschschoitzii platensis*, *Ensatina*, 201
- esculenta*, *Rana*, 585, 642-3, 740
- Esox*, 507, 855
- americanus*, 114-23, 509
 - americanus americanus*, 114-23
 - americanus vermiculatus*, 114, 117
 - longirostris*, 155
 - lucius*, 119, 449-50, 509
 - marinus*, 155
 - masquinongy*, 119, 509
 - niger*, 114-8, 509
 - timucus*, 155
- Etheostoma*, 536, 556
- cragini*, 556, 560-1
 - nigrum*, 567-75
 - pallididorsum*, 556-61
 - radiosum*, 560
 - sp.*, 120
- Etheostominae*, 785
- Eucinostomus*, 459-60
- gula*, 460

- Euhyas*, 197
Eulamia falciformis, 846
 milberti, 457
eulepis, *Fundulus*, 529-30
Eumeces, 773
 egregius, 438
 sp., 299
Eupemphix, 198
Eurycea, 305, 727-9, 731
 bislineata, 305, 727-8, 730
 longicauda, 727-8
 lucifuga, 305, 727-8
euryops, *Strongylura*, 154
euryops, *Tylosurus*, 155
euryxanthus, *Micruroides*, 761
Euthynnus
 pelamis, 219, 499-505
 yaito, 500
everetti everetti, *Rana*, 681, 690-3, 719-24
everetti luzonensis, *Rana*, 690
everetti, *Rana*, 690-1, 721
Exoglossum, 374
exornata, *Geochelone*, 627, 634
exsanguis, *Cnemidophorus*, 773
exsul, *Bufo*, 256
exsul, *Uma*, 186
extenuatum arenicola, *Stilosoma*, 648-9
extenuatum extenuatum, *Stilosoma*, 648-9
extenuatum multistictum, *Stilosoma*, 648-9
Extrarius, 110

faber, *Chaedopterus*, 457
falcatus, *Trachinotus*, 460
falciformis, *Eulamia*, 846
falcipes, *Pseudopaludicola*, 198
fasciatus, *Bungarus*, 314, 316
fasciatus maculatus, *Trinectes*, 144
femoralis, *Hyla*, 256, 434
fernandezae, *Bufo granulosus*, 182-4
ferox, *Ophioblennius*, 433
ferreus, *Aneides*, 181
feuillaei, *Caudiverbera*, 201
Ficimia cana, 761
Fistularia tabacaria, 443
fitzingeri, *Hylodes*, 197
flagellum cingulum, *Masticophis*, 761
flagellum lineatum, *Masticophis*, 761
flagellum, *Masticophis*, 259
flagellum piceus, *Masticophis*, 761
flavescens, *Perca*, 117, 519
flavidus, *Aulorhynchus*, 549-55
flaviridus, *Hemidactylus*, 262
flavo-brunneum, *Lepidocybium*, 845
floridae, *Syngnathus*, 460
floridanus, *Microdesmus*, 330-3, 335
Flourensia cernua, 756
fluviatilis, *Petromyzon*, 222

fluviatilis, *Perca*, 519
focaliger, *Menticirrhus*, 460
foetens, *Synodus*, 460, 565
forcipatus, *Balistes*, 796
formosa, *Heterandria*, 788
formosa, *Mollienisia*, 150
formosanus, *Salmo*, 400-7
forsythia notata, *Strongylura*, 155
fossilis, *Misgurnus*, 584
fowleri, *Bufo*, 439, 773
frenatus, *Brachyistius*, 552
frenatus, *Hemidactylus*, 262-8
frenatus, *Lepadichthys*, 425, 851-2
frontalis, *Ophichthys*, 665
fulica, *Achatina*, 737
fulvipilus, *Tendipes*, 367
fulvus davayi, *Pteronotus*, 367
Fundulus, 109-10, 461, 520-30
 confluentus, 460
 curryi, 529-30
 davidae, 529-30
 detillae, 512
 eulepis, 529-30
 grandis, 522, 524, 528, 562
 kansae, 512
 lima, 529
 nevadensis, 529-30
 notti, 120, 522, 524, 526
 parvipinnis, 529-30
 sternbergi, 512
furcatus, *Ictalurus*, 343-4
furnieri, *Micropogon*, 336-8
fuscus auriculatus, *Desmognathus*, 212
fuscus, *Desmognathus*, 215-6
fuscus, *Pomacentrus*, 443

gabbi × *ventralis*, *Callisaurus draconoides*, 187
gabonica, *Bitis*, 315
gabonica gabonica, *Bitis*, 438
gachua, *Ophicephalus*, 465
Gadus, 110
 morhua, 562
Gagata, 657
gaigeae, *Lacerta erhardii*, 321
gairdnerii, *Salmo*, 405
galacturus, *Notropis*, 537
galdi, *Pristimantis*, 197
galeata, *Belone*, 155
Galeocerdo cuvier, 457, 655, 846
Gambusia, 391-6, 461
 affinis, 393, 396-400
 geiseri, 396-400
 gracilis, 393
 (*Heterophallina*), 393
 hurtadoi, 397
 longispinis, 391-6

- marshi*, 391-6
nobilis, 391-6
patruelis, 393
senilis, 393
Ganopristinae, 775
garmani, *Myxine*, 800
Garrulus glandarius krynicki, 318
Gasterosteus, 110
doryssus, 529
Gastrotheca marsupiata, 256, 434
gayi, *Calyptocephalella*, 182-4
gayi, *Calyptocephalus*, 200-1
geiseri, *Gambusia*, 396-400
gelida, *Hybopsis*, 807
Genypterus, 487-98
Geochelone, 257, 260, 338-9, 627-35
equicomis, 627-33
exornata, 627, 634
(Hesperotestudo) equicomis, 630
(Hesperotestudo) johnstoni, 630
(Hesperotestudo) kalganensis, 630
(Hesperotestudo) riggsi, 630
(Hesperotestudo) turgida, 628
(Hesperotestudo) wilsoni, 630
incisa, 627-35
johnstoni, 627-35
kalganensis, 627, 630, 633, 635
orthopygia, 506, 632-3
osborniana, 632-3
riggsi, 627-35
sp. indet., 255
turgida, 627-35
wilsoni, 627-35
gerania, *Belone*, 155
getulus getulus, *Lampropeltis*, 438
getulus holbrookii, *Lampropeltis*, 438
gibbosus, *Lepomis*, 120
gigas, *Camponotus*, 737
girardi, *Cottus*, 848, 850
glabellum, *Placosoma*, 834-5
gladius, *Tylosurus*, 155
gladius, *Xiphias*, 216
glandarius krynicki, *Garrulus*, 318
glandulatus, *Scutigera*, 290
glauca, *Prionace*, 462, 654-5
Gloriella, 426
gloriosus, *Enneacanthus*, 120
glutinosa, *Myxine*, 471-3
glutinosus, *Plethodon*, 597-612, 730, 732
Glyptocephalus cynoglossus, 139
Glyptothorax, 657
Gobiosoma, 459
bosci, 460
Gobius, 110
gollmeri, *Eleutherodactylus*, 196
gomesi, *Ophichthys*, 664
Gopherus, 257, 260
agassizii, 318
incisa, 630
kalganensis, 630
riggsi, 630
sp. indet., 255
turgida, 628
gorbuscha, *Oncorhynchus*, 401
gorbuscha, *Oncorhynchus* \times *keta*, *Oncorhynchus*, 405
Gordiichthys
irretitus, 664-5
springeri, 665
gracile, *Ambystoma*, 180
gracilis, *Cnemidophorus tigris*, 749-65, 767-74
gracilis, *Gambusia*, 393
gracilis, *Hybopsis*, 815
graeca ibera, *Testudo*, 317-21
grammicus, *Sceloporus*, 299
grandaevus, *Sator*, 613-9
grandis, *Fundulus*, 522, 524, 526, 528
granulosa, *Taricha*, 576-87
granulosus fernandezae, *Bufo*, 182-4
granulosus major, *Bufo*, 182-5
gratiosa, *Hyla*, 256, 434
gravenhorstii, *Hylodes*, 196
grayi, *Rana*, 722
greeri, *Lampropeltis*, 291-9
greeri, *Lampropeltis mexicana*, 291-9
greyi, *Istiophorus*, 467-8
griseus, *Lutjanus*, 456
grunniens, *Aplodinotus*, 336-8, 345, 516
grylio, *Rana*, 257
gryllus, *Acris*, 434
guatemalensis, *Profundulus*, 522, 524
guentheri, *Eleutherodactylus*, 196
guentheri, *Cornufer*, 680-1, 699-707, 719-21, 723
guentheri, *Liyla (Liophyla)*, 200
guerreroi, *Rana*, 690
gula, *Eucinostomus*, 460
gularis, *Nyctimystes*, 435-6
gulosus, *Chaenobryttus*, 120, 513
Gunnelichthys, 335
güntheri, *Hylodes*, 197
güntheri, *Leilya*, 197
guttata, *Elaphe*, 436-7
guttata, *Scorpaena*, 555, 842
guttatus, *Astroscopus*, 462
guttatus, *Cnemidophorus*, 621
Gymnodactylus, 284
Gymnophis, 636
mexicanus, 636-7
mexicanus mexicanus, 636
Gymnothorax
meleagris, 664

- moringa*, 664
nebulosus, 664
ocellatus, 664
undulatus, 664
unicolor, 664
Gyrinophilus, 300-5, 727-32
 danielsi, 727-9, 731
 palleucus, 300, 727-9, 732
 palleucus necturoides, 300-5
 palleucus palleucus, 300-5
 porphyriticus, 300, 304, 727-8, 731-2

haemachates, *Hemachatus*, 314-5
Haldea, 258
 striatula, 258
 valeriae, 258, 438
 valeriae valeriae, 438
hannah, *Ophiophagus*, 313-6, 438
harengus, *Clupea*, 463
harengus, *Clupea harengus*, 463
hautali, *Telmatobius*, 182-3
hazela, *Cornufer*, 681, 700-4, 707, 719-20, 723
haynesi, *Pungitius*, 529
heckscheri, *Rana*, 257
helleri, *Xiphophorus*, 368
Heloderma suspectum, 761
helvomaculatus, *Sebastodes*, 847-8
Hemachatus haemachates, 314-5
Hemidactylum, 730, 732
 scutatum, 730
Hemidactylus
 frenatus, 262-8
 flaviridus, 262
 turcicus turcicus, 434-5
hemilopha, *Ctenosaura*, 644
Henneguya, 123
Hepatoscartes, 427
 umbriefasciatus, 427-8, 431
hepsetus, *Anchoa*, 460
Heptatrema cirrhatum, 800
hermanni, *Testudo*, 318-21
Hesperotestudo, 627-35
 (*Hesperotestudo*) *equicomes*, *Geochelone*, 630
 johnstoni, *Geochelone*, 630
 kalganensis, *Geochelone*, 630
 riggsi, *Geochelone*, 630
 turgida, *Geochelone*, 628
 wilsoni, *Geochelone*, 630
Heterandria formosa, 788
heterodactylum, *Teletrema*, 198
heterodactylus, *Eleutherodactylus*, 199
Heterodon, 259-60
 nasicus, 259, 761
 sp. indet., 255, 259-60
Heterophallina, 391, 394

hexatrema, *Eptatretus*, 800, 805
hians, *Ablennes*, 152-60
hians, *Belone*, 155
hildebrandi, *Profundulus*, 522, 524
Hippocampus, 459
 zosteriae, 460
Hippoglossina oblonga, 139
Hippoglossoides platessoides, 139
Hippoglossus hippoglossus, 139
hippurus, *Coryphaena*, 655
Histiobranchus infernalis, 664
hochstetteri, *Leiopelma*, 586
holbrookii, *Lampropeltis getulus*, 438
Holbrookia, 185-8, 257
 maculata approximans, 186
 sp. indet., 255, 260
 texana, 187
Homo sapiens, 770
horridus horridus, *Crotalus*, 438
Hudsonius chamberlaini, 809
humilis, *Leptotyphlops*, 590-7
hurtadoi, *Gambusia*, 397
Hybopsis, 374, 410, 532-9
 aestivalis, 532-9
 amblops, 843
 biguttata, 532-9
 chamberlaini, 809
 gelida, 807
 gracilis, 815
 leptocephala, 410
 meeki, 807
 micropogon, 410, 531-4
 shumardi, 808
 storeriana, 843
 x-punctata, 532-9
Hydromantes, 730
Hyla, 183, 196, 255-6, 260, 434
 andersoni, 689
 baudini, 434
 californiae, 256
 cinerea, 256, 434
 crucifer, 256, 434
 femoralis, 256, 434
 gratiosa, 256, 434
 meridionalis, 643
 nasus, 196
 phaeocrypta, 256, 434
 ranoides, 196
 regilla, 256
 septentrionalis, 199, 256, 434
 trachytorax, 182-3
Hylla, 198
Hylodes, 195-201
 asper, 196
 fitzingeri, 197
 güntheri, 197
 gravenhorstii, 196

- lateristrigatus*, 196
lineatus, 197
martinicensis, 197, 199–200
nasus, 195–7, 200
palmaris, 197
pulcher, 196
ranoides, 196–7
ricordii, 197
mertensi, 196
Hymenochirus, 273–83
 boettgeri, 272–83
 boulengeri, 273
 curtipes, 272–83
Hynobius, 638
 lichenatus, 638
 nebulosus, 638–9
Hyphessobrycon, 110
Hypodictyon, 197
Hypsiglena
 torquata, 299
 torquata ochorhyncha, 644

ibera, *Testudo graeca*, 317–21
Ichthyophis, 636
Ichthyoscopus, 462
 barbatus, 462
 insperatus, 462
 spinosus, 462
Ictalurus, 110, 338–43
 benderensis, 505–20
 catus, 344
 furcatus, 343–4
 lambda, 340, 505–20
 cf. nebulosus, 512–5
 cf. punctatus, 343–4, 507
 sawrockensis, 505–20
Ictiobus, 338
 -Carpiodes, 340
 cf. bubalus, 509–10
idahoensis, *Plethodon vandykei*, 179
illecebrosus, *Alburnops*, 808–9
illecebrosus, *Notropis*, 807–18
Ilyophis brunneus, 664
imbricata, *Eretmochelys*, 647–8
Imperata cylindrica, 681
imperator \times *constrictor*, *Boa constrictor*, 438
incisa, *Geochelone*, 627–35
 incisa, *Gopherus*, 630
 incisa, *Testudo*, 630
 indicus, *Pherallodus*, 852
ingernalis, *Histiobranchus*, 664
inornata, *Uma notata*, 186
inornatus, *Cnemidophorus*, 761, 773
insolitus, *Testudo*, 635
insperatus, *Ichthyoscopus*, 462
intermedia, *Siren*, 576–87
intermedius, *Microdesmus*, 331

interruptus, *Panulirus*, 552
irretitus, *Gordiichthys*, 664–5
ishikawae, *Oncorhynchus*, 405
Istiompax marlina, 467
Istiophorus albicans, 453
 greyi, 467–8
Isurus oxyrinchus, 446, 462

jamaicensis, *Cyprinodon*, 837
jamesoni, *Dendroaspis*, 314
japonicus, *Aulichthys*, 549
japonicus, *Cookeolus*, 423
japonicus, *Zebrias*, 144
jeannae, *Lepophidium*, 497
jemezianus, *Notropis*, 817
Jenkinsia, 659
 bermudana, 659
 lamprotaenia, 659
johnsoni, *Melanocetus*, 841
johnstoni, *Geochelone*, 627–35
johnstoni, *Geochelone* (*Hesperotestudo*), 630
jonesi, *Belone*, 155
Jordanella, 528
jordani, *Anoptichthys*, 365
jordani, *Plethodon*, 730

kalganensis, *Geochelone*, 627, 630, 633, 635
kalganensis, *Geochelone* (*Hesperotestudo*), 630
kalganensis, *Gopherus*, 630
kalganensis, *Testudo*, 630, 633
Kaloula, 721
 baleata, 724
 borealis, 724
 conjuncta meridionalis, 680, 716
 conjuncta negrosensis, 681, 684, 714–21, 723
 picta, 680, 720–1, 724
 pulchra, 724
kansae, *Fundulus*, 512
kansasensis, *Chaenobryttus*, 505–20
Kathetostoma, 462
 laeve, 462
 nigrofasciatum, 462
keta, *Oncorhynchus*, 401
Kinosternon scorpiodes, 182–3
kisutch, *Oncorhynchus*, 401, 405
koki, *Ctenocranius*, 198
Kosswigichthys, 528
krynicky, *Garrulus glandarius*, 318
Kryptopterus, 565
kubori, *Nyctimystes*, 435

labialis, *Profundulus*, 522, 524
Labroblennius, 427

- lethostigma*, *Paralichthys*, 138-9, 468, 854
leucas, *Carcharhinus*, 455-6, 654
Leucaspis delineatus \times *Rhodeus amarus*, 378
leucodon, *Spalax*, 318
leucomystax linki, *Rhacophorus*, 708, 710, 723
leucomystax quadrilineatus, *Rhacophorus*, 680-1, 684, 707-11, 719-23
leucostictus, *Pomacentrus*, 457
Leuognathus marmoratus, 730
leytensis, *Rana microdisca*, 680-1, 697-9, 719-23
Liasis, 284
lichenatus, *Hynobius*, 638
Lichyla, 198
lima, *Fundulus*, 529
limbatus, *Acheilognathus*, 379
limnocharis vittigera, *Rana*, 680, 723
Limnophys, 197
 cornutus, 197-8
 napaeus, 197
lineatum, *Tropidoclonion*, 258
lineatulus, *Masticophis flagellum*, 761
lineatus, *Hylodes*, 197
lineatissimus, *Cnemidophorus*, 621
linki, *Rhacophorus leucomystax*, 708, 710, 723
linnei, *Tibicen*, 640
Liodytes alleni, 258
Liohyla, 197
 (*Liohyla*) *guentheri*, *Liyla*, 200
Lithodytes, 197
 ranoides, 200
livia, *Colomba*, 182-3
Liyla, 197
 longicauda, *Eurycea*, 727-8
 longimanus, *Coryphaena*, 656
 longimanus, *Pterolamiops*, 846
 longipes, *Batrachyla*, 197
 longipinnis, *Leptocercus*, 332
 longipinnis, *Microdesmus*, 330-6
 longirostris, *Esox*, 155
 longispinis, *Gambusia*, 391-6
 longleyi, *Strongylura*, 154
 loris, *Phyllomedusa*, 588
Lota, 110
Loxocemus bicolor, 438
Lucania, 461, 528
 parva, 460
 lucida, *Morinda*, 740
 lucifuga, *Eurycea*, 305, 727-8
 lucius, *Esox*, 119, 449-50, 509
 lumbriciformis, *Nerophis*, 562
 Lutjanus griseus, 456
 lutosus, *Crotalus viridis*, 312
 lutrensis, *Notropis*, 539-44
Luxilus, 817
luzonensis, *Rana everetti*, 690
Lycodes brevipes, 819

Mabuya dissimilis, 271
macchurei, *Alticus*, 433
macchurei, *Ophioblennius atlanticus*, 426-33
macchurei, *Rupiscartes*, 433
Macrias amissus, 657, 659
macrocephala, *Rana magna*, 680
macrochirus, *Lepomis*, 120
Macrocytis, 551-4
 pyrifer, 549
macroductylum, *Ambystoma*, 255, 576-87
Macropodus, 359
 opercularis, 358
macropterus, *Neothunnus*, 504
macrorrhiza, *Alocasia*, 697
macrostomus, *Salmo*, 404
maculata approximans, *Holbrookia*, 186
maculata, *Belone*, 155
maculatum, *Ambystoma*, 255
maculatus fasciatus, *Trinectes*, 144
maculatus maculatus, *Trinectes*, 144
maculatus, *Scutiger*, 290
maculatus, *Sphaeroides*, 460
maculatus, *Trinectes*, 138-45
magister zosteromus, *Sceloporus*, 644
magna acanthi, *Rana*, 694
magna macrocephala, *Rana*, 680
magna, *Rana*, 694
magna visayanus, *Rana*, 681, 693-7, 699, 718-23
major, *Bufo granulosus*, 182-5
Makaira, 216
 albida, 453, 846
 ampla, 453
 nigricans, 216, 220-1
Malachylodes, 197
 guttulatus, 197
mammata, *Aelurophryne*, 288
mammata, *Bufo*, 288, 290
mammatus, *Scutiger*, 290
marcianus, *Thamnophis*, 258-9
marginata, *Chrysemys picta*, 571
marginata, *Testudo*, 317-21
marginatus, *Conger*, 664
marginatus, *Lepomis*, 120
marginatus, *Stereochilus*, 212
marina, *Strongylura*, 153-9, 461
marinus, *Bufo*, 182-4, 256
marinus, *Esox*, 155
marinus, *Petromyzon*, 652-3, 663
marlina, *Istiompax*, 467
marmoratus, *Cnemidophorus tigris*, 749-65, 767-74

- marmoratus* \times *gracilis*, *Cnemidophorus tigris*, 754-5, 765
marmoratus, *Leurognathus*, 730
marmoratus, *Scorpaenichthys*, 555
marnockii, *Syrhophus*, 197, 299
marshi, *Gambusia*, 391-6
marsupiata, *Gastrotheca*, 256, 434
martensi, *Ooiedozyga laevis*, 723
martinicensis, *Eleutherodactylus*, 197, 199
martinicensis, *Hylodes*, 197, 199-200
marulius, *Ophicephalus*, 465
masou masou, *Oncorhynchus*, 403, 405
masou, *Oncorhynchus*, 400-7
masou rhodurus, *Oncorhynchus*, 405
masou, *Salmo*, 404
masquinongy, *Esox*, 119, 509
Masticophis, 255, 259-60
 bilineatus, 761-2
 flagellum, 259
 flagellum cingulum, 761
 flagellum lineatulus, 761
 flagellum piceus, 761
 taeniatus, 761-2
mawsoni, *Dissostichus*, 658
maximus, *Cetorhinus*, 446
means, *Amphiuma*, 576-87
medinae, *Phyllomedusa*, 588-90
meeki, *Hybopsis*, 807
megalepis, *Notropis*, 505-20
Megalobatrachus, 646-7
Megalophrys, 288
megalophylla, *Mormoops*, 367
Megophrys, 290
 monticola, 723
 monticola stejaegeri, 680
 parva, 723
Melanocetus johnsoni, 841
melanochira, *Belone*, 155
melanogaster, *Paralichthys*, 139
melanoleucus melanoleucus, *Pituophis*, 438
melanoleucus mugitus, *Pituophis*, 438
melanops, *Sebastodes*, 838-40
melanostictus, *Bufo*, 268, 736-40
meleagris, *Gymnothorax*, 664
Menidia, 109-14, 459
 beryllina, 109-14, 460
 menidia, 109
Menticirrhus, 460
 focaliger, 460
meridionalis, *Crotalus willardi*, 160-3
meridionalis, *Hyla*, 643
meridionalis, *Kaloula conjuncta*, 680, 716
merriami, *Empetrichthys*, 520-32
merriami, *Sceloporus*, 299
mertensi, *Hylodes*, 196
mexicana alterna, *Lampropeltis*, 291-9
mexicana blairi, *Lampropeltis*, 291-9
mexicana blairi \times *alterna*, *Lampropeltis*, 296, 299
mexicana, *Coronella*, 298
mexicana greeri, *Lampropeltis*, 291-9
mexicana, *Lampropeltis*, 291-9
mexicana mexicana, *Lampropeltis*, 291-9
mexicana rubiginosa, *Chilonycteris*, 367
mexicana thayeri, *Lampropeltis*, 291-9
mexicana \times *thayeri*, *Lampropeltis mexicana*, 296
mexicanus, *Astyanax*, 365, 366, 562
mexicanus mexicanus, *Gymnophis*, 636-7
mexicanus, *Ophibolus triangulus*, 298
meyeri, *Cornufer*, 681, 700-2, 704-7, 719-20, 723
Microbatrachylus, 198
microcephalum, *Lepidosternum*, 166
Microdesmus
 affinis, 332
 floridanus, 330-5
 intermedius, 331
 lanceolatus, 330-6
 longipinnis, 330, 336
 woodsii, 332
microdisca leytensis, *Rana*, 680-1, 697-9, 719-23
microdisca microdisca, *Rana*, 698
microdisca, *Rana*, 697
microdisca palavanensis, *Rana*, 698
Microhyla, 721
microlophus, *Lepomis*, 518
Micropogon furnieri, 336-8
micropogon, *Hybopsis*, 410, 532-9
micropogon, *Nocomis*, 410
microps, *Belone*, 155
Micropterus, 507, 509
Microstomus pacificus, 139
Micruroides euryxanthus, 761
Micrurus, 313-4, 316
milberti, *Eulamia*, 457
minima, *Aspasma*, 852
Minnilus shumardi, 808
minocharis, *Rana*, 723
minor, *Lepadichthys*, 425
Minytrema, 536
mirabilis, *Phenacobius*, 369, 374, 842
Misgurnus fossilis, 584
mitopteryx, *Aethotaxis*, 829-36
modestum, *Phrynosoma*, 761
mokeson, *Agkistrodon contortrix*, 640
Mola, 793, 798
molitor, *Tenebrio*, 439
Mollienesis, 360, 461
 formosa, 150
 latipinna, 460
montana, *Nyctimystes*, 435
montanus, *Pseudotriton*, 727, 729

- monticola*, *Megophrys*, 723
monticola stejnegeri, *Megophrys*, 680
monticolus, *Desmognathus*, 215-6
moreleti, *Phyllomedusa*, 590
morhua, *Gadus*, 562
Morinda lucida, 740
moringa, *Gymnothorax*, 664
Moringua railaborua, 664
mormon, *Coluber constrictor*, 212
Mormoops megalophylla megalophylla, 367
mosaueri, *Sonora*, 644
mossambica, *Tilapia*, 502
mucronatus, *Neoconger*, 442
muelleri, *Ansonia*, 680
Mugil, 662-3
 cephalus, 453, 459-60, 547, 566
 curema, 460
mutigius, *Pituophis melanoleucus*, 438
multistictum, *Stilosoma extenuatum*, 648-9
Muraena, 110
Muraenesox
 cinereus, 664-5
 coniceps, 664-5
 sp., 665
Musa, 707, 714
mutilatus, *Peropus*, 262-8
mydas, *Chelonia*, 647-8
myersi, *Chionodracon*, 826, 829, 833
Myrophis punctatus, 460
mystes plumieri, *Scorpaena*, 842
Myxine
 garmani, 800
 glutinosa, 471-3

Naja, 314, 316
 naja, 313-6, 438
 nivea, 314-5
najadum, *Coluber*, 318
napeus, *Limnophys*, 197
nasicornis, *Bitis*, 313-5
nasicus, *Heterodon*, 259, 761
nasulus, *Elosia*, 196
nasus, *Hyla*, 196
nasus, *Hylodes*, 195-7, 200
nasus, *Lamna*, 446, 462
nasuta, *Elosia*, 196
Natalis, 505-20
Natrix, 200, 260, 285-6
 cyclopion, 258
 erythrogaster, 258
 natrix, 258-9, 322
 rhombifera, 284-5
 septemvittata, 258
 sipidon, 258
 taxispilota, 258, 322
 tesselata, 258
nebulifer, *Paralabrax*, 555

nebulosa, *Echidna*, 664
nebulosa, *Pleurodema*, 182-5
nebulosus, *Cynoscion*, 554-8
nebulosus, *Gymnothorax*, 664
nebulosus, *Hynobius*, 638-9
nebulosus, *Ictalurus*, 515
nebulosus, cf. *Ictalurus*, 512-3
Nectophrynoides tornieri, 722
necturoides, *Gyrinophilus palleucus*, 300-5
Negaprion brevirostris, 455-7
neglecta, *Amphisbaena*, 164-70
negropinna, *Lepophidium*, 488-98
negrosensis, *Kaloula conjuncta*, 681, 684,
 714-21, 723
Nemachilus barbatus, 584
Nemamyxine elongata, 471
Neoclinus, 852
Neoconger mucronatus, 442
neogaesus, *Chrosomus*, 147-52
neomexicanus, *Plethodon*, 179
Neoseps reynoldsi, 438
Neothunnus macropterus, 504
nerka, *Oncorhynchus*, 401, 405
Nerophis lumbriciformis, 562
Nettastoma, 110
nevadae, *Crenichthys*, 522-32
nevadensis, *Fundulus*, 529-30
niceforoi, *Phyllomedusa*, 589
nicholsi, *Labroblennius*, 427-8, 431
nicholsii, *Rhinogobiops*, 552
nidus, *Asplenium*, 699
niger, *Esox*, 114-8, 509
niger, *Thyrssites*, 846-7
nigra, *Corvina*, 336
nigricans, *Makaira*, 216, 220-1
nigricaudus, *Urosaurus*, 644
nigrita, *Pseudacris*, 213-5, 256, 434, 747
nigrofasciatum, *Kathetostoma*, 462
nigromaculatus, *Pomosis*, 514
nigrum, *Etheostoma*, 567-75
niloticus, *Crocodilus*, 203-5
nivea, *Naja*, 314-5
nobilis, *Conodon*, 443
nobilis, *Gambusia*, 392
Nocomis micropogon, 410
notata, *Belone*, 155
notata forsythia, *Strongylura*, 155
notata inornata, *Uma*, 186
notata notata, *Uma*, 186
notata rufopunctata, *Uma*, 186
notata, *Strongylura*, 152-60, 460-1
notatus, *Sphaerodactylus*, 644-5
Notechis, 284, 286, 314, 316
 scutatus, 313-4, 316, 438
Notothenia, 827
Notropis, 374, 810
 amabilis, 818

- amnis*, 807
amoenus, 317
ariommus, 818
atherinoides, 807, 815-8
bifrenatus, 543
blennius, 807, 843
boops, 808-10
brazosensis, 807, 809-10
buchanani, 807
cerasinus, 408
chalybaeus, 543
chamberlaini, 809-10
cornutus, 410, 450-2, 413-5, 817
cornutus \times *rubellus*, 450-2
galacturus, 537
illecebrosa, 809
illecebrosus, 807-18
jemezianus, 817
lutrensis, 539-44
megalepis, 505-20
oxyrhynchus, 817
percobromus, 817
perpallidus, 807, 818
photogenis, 818
pilsbryi, 532-9
rubellus, 408, 413-4, 450-2, 532-9, 817
scepticus, 818
shumardi, 807-18
sp., 120
stilbius, 818
whipplei, 537
notti, *Fundulus*, 120, 522, 524, 526
Noturus, 340, 341-3
nubila, *Dionda*, 532-9
nuda, *Cyprinus carpio*, 584
numeralis, *Nyctimystes*, 435
numidus, *Onchopristis*, 775-7
Nyctimantis, 435
gularis, 435-6
kubori, 435
montana, 435
numeralis, 435
persimilis, 435
obesus, *Thunnus*, 219
oblonga, *Hippoglossina*, 139
oblongus, *Paralichthys*, 139, 454
obsoleta, *Elaphe*, 299
occidentalis, *Sceloporus*, 269
occipitamaculata, *Storeria*, 258-9
ocellata, *Sciaenops*, 440, 460
ocellatus, *Bothus*, 565
ocellatus, *Gymnothorax*, 664
ocellatus, *Leptodactylus*, 182-4
ocellatus, *Ophichthys*, 664
ocellatus ocellatus, *Rhodeus*, 777-8, 780-7
ocellatus, *Rhodeus*, 377-90, 778-80
ocellatus ocellatus, *Rhodeus* \times *amarus sericeus*, *Rhodeus*, 777
ocellatus ocellatus, *Rhodeus* \times *sericeus amarus*, *Rhodeus*, 779
ocellatus, *Rhodeus* \times *Acheilognathus lanceolatus*, 777
ocellatus, *Rhodeus* \times *lanceolatus*, *Acheilognathus*, 777
ocellatus spinalis, *Rhodeus*, 778
ochorhyncha, *Hypsigena torquata*, 644
ochrophaeus, *Desmognathus*, 215-6, 730
octona, *Subulina*, 737
oculatus, *Lepisosteus*, 339-40
Odontophrynus, 198
americanus, 182
Oecophylla smaragdina, 737
Oedipina, 177
Oedipus altamazonicus, 173
okinoseanus, *Eptatretus*, 800
Oligocephalus, 556
olivaceus, *Sceloporus*, 299
olivaris, *Pygodictis*, 341, 345
olympicus, *Rhyacotriton*, 576-87
Onchopristis, 775-7
dunklei, 775-7
numidus, 775-7
Oncorhynchus
gorbuscha, 401
ishikawae, 405
keta, 401
keta \times *Oncorhynchus gorbuscha*, 405
kisutch, 401, 405
masou, 400-7
masou masou, 403-5
masou rhodurus, 405
nerka, 401, 405
perryi, 404
rhodurus, 400-3
tshawytscha, 401
yessoensis, 404
Ooeidozyga, 721
laevis laevis, 681, 684-7, 719-23
laevis martensi, 723
opacum, *Ambystoma*, 255, 576-87
opercularis, *Macropodus*, 358
Ophiodrys, 259
aestivus, 255, 259-60
vernalis, 259
Ophibolus alterna, 298
alternus, 298
Ophicephalus
gachua, 465
marulius, 465
punctatus, 465-6, 854-5
striatus, 465
Ophichthys, 110
frontalis, 664-5

- gomesi*, 664
ocellatus, 664
Ophidion, 110
Ophioblennius, 426-33
 atlanticus atlanticus, 426-33
 atlanticus macchurei, 426-33
 erythraeus, 428-9, 431
 ferox, 433
 lanieri, 428, 431
 pinchoti, 428, 431
 steindachneri, 427-8, 431
 steindachneri clippertonensis, 426-33
 steindachneri steindachneri, 426-33
 trinitatis, 432
 watsoni, 433
Ophibolus triangulus mexicanus, 298
Ophiodes striatus, 182-3
Ophiophagus hannah, 313-6, 438
Ophisaurus apodus, 318
opisthodon, *Discodeles*, 721
Opsanus, 109, 111
ordinatus, *Coluber*, 741
oreas, *Chrosomus*, 408
oreganus, *Crotalus viridis*, 312
Oreolalax, 287-90
 pingii, 289
 popei, 289
 rugosus, 289
 schmidtii, 289
Oreophis boulengeri, 298
Oreophryne annulata, 680
orestes, *Bolitoglossa*, 170-7
orientalis, *Salmo*, 404
ornata, *Ceratophrys*, 182-5
ornata, *Pseudacris*, 256, 434
Orthagoriscus, 793
orthopygia, *Geochelone*, 506, 632-3
Oryctolagus cuniculus, 182-3
oryzae, *Rhodens*, 379
Oryzias, 109-11
 latipes, 788
osborniana, *Geochelone*, 632-3
osseus, *Lepisosteus*, 339-45
oxycephalus, *Telmatobius*, 182-3
Oxyjulis californica, 554
oxyrhynchus, *Notropis*, 817
oxyrinchus, *Isurus*, 446, 462

pachypus (group), *Leptodactylus*, 184
pacificus, *Microstomus*, 139
Pagellas, 110
palavanensis, *Rana microdisca*, 698
palestinae, *Vipera*, 315
palestinae, *Vipera xanthina*, 313-5
palleucus, *Gyrinophilus*, 300, 727-9, 732
palleucus necturoides, *Gyrinophilus*, 300-5
pallidorsum, *Etheostoma*, 556-61

palmata, *Bolitoglossa*, 170-7
palmaris, *Hylodes*, 197
palmaris, *Spelerpes*, 173
palustris, *Rana*, 257
Pandanus, 699-700, 702
Panulirus interruptus, 552
Paracheilognathus, 389, 783
 rhombeus, 777, 783
paracnemis, *Bufo*, 182-4
paraensis, *Bolitoglossa*, 177
Parafundulus erdisi, 523-4
Paralabrax
 clathratus, 552, 555
 maculata, 852
 nebulifer, 555
Paralichthys, 145, 461
 albigutta, 460, 854
 californicus, 139, 840
 dentatus, 138-40, 143, 145, 468, 854
 lethostigma, 138-46, 468, 854
 melanogaster, 139
 oblongus, 139, 454
Paramyxine, 800-7
 atami, 471-3, 800, 805-6
 springeri, 805
paraphygas, *Uma*, 186
Pararhodeus, 389
pardale, *Lepophidium*, 488-98
pardalis pardalis, *Rhacophorus*, 679-81, 785,
 711-5, 719-23
pardalis, *Testudo*, 317
Parexoglossum, 374
parietalis, *Coluber*, 741
parva, *Lucania*, 460
parva, *Megophrys*, 723
parvipinnis, *Fundulus*, 529-30
parvulus, *Zachaenus*, 722
patronus, *Brevoortia*, 460-1
patruelis, *Gambusia*, 393
pectinata, *Ctenosaura*, 614
pectoralis, *Dallia*, 124-30
Pelagophycus, 552
pelamis, *Euthynnus*, 219, 499-505
Pelobates, 290
Pelophryne brevipes, 680
Peltocephalus, 200
 quoyii, 200
pelewensis, *Cornufer*, 721, 723
Perca, 110
 flavescens, 117, 519
 fluviatilis, 519
Percina shumardi, 807
Percophis, 657
percobromus, *Notropis*, 817
Perdix perdix, 643
perezi, *Rana ridibunda*, 643
Peromyscus, 763

- Peropus mutilatus*, 262-8
perpallidus, *Notropis*, 807, 818
perplexus, *Cnemidophorus*, 210-1, 761
perryi, *Oncorhynchus*, 404
persimilis, *Nyctimystes*, 435
peruviana, *Bolitoglossa*, 177
peruviana, *Caudiverbera*, 200-1
Petromyzon, 222
fluvialis, 222
marinus, 652-3, 663
petenense, *Dorosoma*, 502
phaeocrypta, *Hyla*, 256, 434
Phenacobius, 369-77
catostomus, 369-77
crassilabrum, 369-77
mirabilis, 369, 374, 842
teratulus, 369-77
uranops, 369-77
Pherallodus indicus, 852
Pheretima sp., 737
pheromystax, *Lepophidium*, 497
Philautus, 198, 724
spinosus, 680
pholis, *Blennius*, 562
photogenis, *Notropis*, 818
Phoxinus, 109-10
Phrynobatrachus, 836
Phrynohyas, 651
spilomma, 651
Phrynosoma, 773
cornutum, 761
modestum, 761
Phyllobates ridens, 197
Phyllomedusa, 183, 588
alcorni, 589
bicolor, 589
callidryas, 590
craspedopus, 590
dacnicolor, 256, 589
lemur, 588
loris, 588
medinae, 588-90
moreleti, 590
niceforoi, 589
sauvagei, 182-3
Phyllospadix, 552
Physalaemus, 198
piceus, *Masticophis flagellum*, 761
picta bellii, *Chrysemys*, 571, 574
picta, *Chrysemys*, 570-5
picta dorsalis, *Chrysemys*, 574
picta, *Kaloula*, 680, 720-1, 724
picta marginata, *Chrysemys*, 571
picta picta, *Chrysemys*, 574
pictigaster, *Agkistrodon contortrix*, 438
pigus virgo, *Rutilus*, 386
pilsbryi, *Notropis*, 532-9
"Pimelodus antiquus", 340
Pimephales promelas, 537
pinchoti, *Ophioblennius*, 428, 431
pinetorum, *Pitymys*, 640
pingii, *Oreolax*, 289
pingii, *Scutiger*, 289
Pipa, 272
pipa, 273, 280
pipiens berlandieri, *Rana*, 259
pipiens, *Rana*, 189-94, 245, 255-8, 260, 299, 689, 693, 714
pipiens sphenoccephala, *Rana*, 259
Pithecoposis, 198
Pituophis, 285, 437
catenifer affinis, 438
catenifer sayi, 438
melanoleucus melanoleucus, 438
melanoleucus mugitus, 438
Pitymys pinetorum, 640
Placosoma, 833
cordylum, 834
cordylum champsonotus, 834-5
glabellum, 834-5
plagiusa, *Symphurus*, 138, 143-5, 460
planiceps, *Desmognathus*, 215-6
platensis, *Ensatina eschscholtzii*, 201
platessa, *Pleuronectes*, 562
Platessa quadrocclata, 455
platessoides, *Hippoglossoides*, 139
Platichthys stellatus, 139
platostomus, *Lepisosteus*, 339, 340
Platymantis, 680, 723
platymantis (group), *Leptodactylus*, 184
Platyopocilus, 788
platyurus, *Cosymbotus*, 262-8
Plethodon, 177, 304-5, 598, 612, 730
cinereus, 206-7, 574
dunni, 180
glutinosus, 597-612, 730, 732
jordani, 730
larselli, 177-81
neomexicanus, 179
vandykei, 178-9
vandykei idahoensis, 179
vandykei larselli, 177
vandykei vandykei, 177-9
vehiculum, 180
Pleuragramma, 827
Pleurodema, 184-5
bibroni, 182-4
bufonina, 182-3
nebulosa, 182-5
tucumana, 182-4
Pleuronectes platessa, 562
plumieri mystes, *Scorpaena*, 842
podicipinus, *Leptodactylus*, 182-4
Poecilia sphenops, 360-8

- poinsetti*, *Sceloporus*, 299, 761
Polistotrema stouti, 471
Polydactylus sp., 655
Polygonum amphibium, 740
Polypedates, 198
Pomacentrus, 443-4, 457
 fuscus, 443
 leucostictus, 457
Pomoxis lanei, 505-20
popei, *Oreolalax*, 289
porphyriticus, *Gyrinophilus*, 300, 304, 727-8, 731-2
Potamorrhaphis, 153
Poterium spinosum, 317
Priacanthus, 417-24
 arenatus, 417-24
 bonariensis, 422
 boops, 422
 cruentatus, 417-24
Prietella, 341
Prinodactylus champsonotus, 833
Prionace glauca, 462, 654-5
Prionotus, 459-60
 tribulus, 460
 galdi, 197
Pristimantis, 197
probatocephalus, *Archosargus*, 456-7
Profundulus, 520-32
 candalarius, 522, 524
 guatemalensis, 522, 524
 hildebrandi, 522, 524
 labialis, 522, 524
 punctatus, 522-32
profundum, *Eptatretus*, 806
promelas, *Pimephales*, 537
prorates, *Lepophidium*, 488-98
Proteocephalus, 123
proximus, *Coluber*, 741
proximus, *Thamnophis*, 741-8
proximus, *Thamnophis sauritus*, 745-6
proximus × *sauritus*, *Thamnophis*, 746
Pseudacris, 255-6, 260
 clarki, 213-5
 clarki-nigrita, 213-5
 nigrita, 213-5, 256, 434, 747
 ornata, 256, 434
 streckeri, 213-4, 256, 434
 triseriata, 256, 434, 747
Pseudecheneis sulcatus, 656-7
Pseudechis, 284
Pseudemys, 284-5
 elegans, 575
 rubriventris, 649
 rubriventris bangsi, 649
 rubriventris rubriventris, 649
Pseudis, 201
Pseudopaludicola, 198
 ameghini, 198
 falcipes, 198
Pseudoperilampus, 389
Pseudopleuronectes americanus, 139
Pseudopriacanthus, 418
 altus, 417-24
Pseudotriton, 300, 727-32
 montanus, 727, 729
 ruber, 304, 727-9, 731
Pseudotsuga taxifolia, 179
Pseudoxiphophorus bimaculatus, 368
Pterois volitans, 842
Pterolamiops longimanus, 846
Pteronotus davyi fulvus, 367
 (*Ptychadaena*), *Rana*, 836
pulcher, *Hylodes*, 196
pulchra, *Kaloula*, 724
pullum anomalum, *Campostoma*, 407-17
pullus, *Amanes*, 444
punctatum, *Sphenodon*, 734
punctatus, *Bufo*, 256, 259
punctatus, cf. *Ictalurus*, 343, 344-5, 507
punctatus, *Myrophis*, 460
punctatus, *Ophicephalus*, 465-6, 854-5
Pungitius, 530
 haynesi, 529
pungitius, *Pygosteus*, 353
purpureus, *Stolephorus*, 502
pygaea, *Seminatrix*, 258
Pygosteus pungitius, 353
Pylodictis, 338, 340-4
 olivaris, 341, 345
pyrifera, *Macrocystis*, 549
pyromelana, *Lampropeltis*, 292-3
Python, 284
 bivittatus, 438
 curtus curtus, 438
 regius, 438
 sebae, 438
quercicus, *Bufo*, 256
Quercus, 318-9
quadramaculatus, *Desmognathus*, 215
quadrilineatus, *Rhacophorus leucomystax*, 680-1, 684, 707-11, 719-23
quadrocellata, *Platessa*, 455
quoyii, *Caudiverbera*, 201
quoyii, *Peltocephalus*, 200
radiosum, *Etheostoma*, 560
radix radix, *Thamnophis*, 436
radix, *Thamnophis*, 258, 306
raitaborua, *Moringua*, 664
Rana, 189-94, 245, 255-8, 260, 299, 585-6, 679, 689, 693, 714, 722-3, 836

- adenopleura*, 722
areolata, 257
boulengeri, 720
boyli, 257
cancrivora, 268, 723
cancrivora cancrivora, 680-1, 684-90, 710-23
capito, 257
catesbeiana, 257, 642-3
clamitans, 257
erythraea, 680, 688, 691, 719-21
esculenta, 585, 642-3, 740
everetti, 690-1, 721
everetti everetti, 681, 690-3, 719-24
everetti luzonensis, 690
grayi, 722
grylio, 257
guerrei, 690
heckscheri, 257
limnocharis, 723
limnocharis vittigera, 680, 723
magna, 694
magna acanthi, 694
magna macrocephala, 680
magna visayanus, 681, 693-7, 699, 718-23
microdisca, 697
microdisca leytensis, 680-1, 697-9, 719-23
microdisca microdisca, 698
microdisca palawanensis, 698
palustris, 257
pipiens, 189-94, 245, 255-8, 260, 299, 689, 693, 714
pipiens berlandieri, 259
pipiens sphenoccephala, 259
ridibunda, 642-3
ridibunda perezii, 643
septentrionalis, 257
sylvatica, 257
virgatipes, 257
ranoides, *Hyla*, 196
ranoides, *Hylodes*, 196-7
ranoides, *Lithodytes*, 200
raphidoma, *Tylosurus*, 152-60
regilla, *Hyla*, 256
regius, *Python*, 438
regularis, *Bufo*, 256, 740
rerio, *Brachydania*, 562, 788-92
reynoldsi, *Neoseps*, 438
Rhacophorus, 198, 679, 723-4
appendiculatus, 680
leucomystax, 708-9, 711
leucomystax linki, 708, 710, 723
leucomystax quadrilineatus, 680-1, 684, 707-11, 719-23
pardalis pardalis, 679-81, 785, 711-5, 719-23
Rhaphidascaris cayugensis, 123
Rhigophila, 819
dearborni, 819-26
Rhinatrema colombianum, 636
Rhineastes arcuatus, 340
Rhinocoeilus lecontei, 761-2
Rhinoderma darwini, 722
Rhinogobiops nicholsii, 552
Rhinophrynus, 280
Rhodeina, 378
Rhodeinae, 377-8
Rhodeus, 379, 389
amarus, 378
amarus \times *Leucaspis delineatus*, 378
ocellatus, 377-90, 778, 780
ocellatus \times *Acheilognathus lanceolatus*, 380-2, 386-7, 777
ocellatus ocellatus, 777-8, 780-7
ocellatus ocellatus \times *Rhodeus sericeus*
amarus, 777
ocellatus spinalis, 778
oryzae, 379
sericeus, 777-8
sericeus amarus, 378, 777-88
sericeus amarus \times *Rhodeus ocellatus ocellatus*, 777, 779
sericeus sericeus, 777
rhodurus masou, *Oncorhynchus*, 405
rhodurus, *Oncorhynchus*, 400, 403
rhombeus, *Paracheilognathus*, 777, 783
rhombifera, *Natrix*, 284-5
rhomboides, *Lagodon*, 457, 460, 663
Rhyacotriton olympicus, 576-87
ricordii, *Hylodes*, 197
riectus, *Xenomystax*, 664
ridens, *Phylllobates*, 197
ridibunda perezii, *Rana*, 643
ridibunda, *Rana*, 642-3
riggsi, *Geochelone*, 627-35
riggsi, *Geochelone (Hesperotestudo)*, 630
riggsi, *Gopherus*, 630
riggsi, *Testudo*, 630
ringens, *Xanthichthys*, 444
rivularis, *Taricha*, 207-8
Rizophora, 461
rodechi, *Cnemidophorus cozumelus*, 620-6
rosaceus, *Sebastodes*, 848
rubellus, *Notropis*, 408, 413-4, 450-2, 532-9, 817
ruber, *Pseudotriton*, 304, 727-9, 731
rubiginosa mexicana, *Chiloncyteris*, 367
rubriventris bangsi, *Pseudemys*, 649
rubriventris, *Pseudemys*, 649
rubriventris rubriventris, *Pseudemys*, 649
rubrivinctus, *Sebastodes*, 847
rufopunctata, *Uma notata*, 186
rugosa, *Testudo*, 627
rugosus, *Oreolalax*, 289

rupestris, *Ambloplites*, 516

Rupiscartes

cubensis, 433

macclurei, 433

russelli, *Vipera*, 314-5

Rutilus

pigus virgo, 386

rutilus caspicus, 386

Ruvettus, 846

Rypticus saponaceus, 443

saburrae, *Chasmodon*, 460

sackeni, *Thamnophis sauritus*, 743

sagitta, *Tylosurus*, 155

Salamandra salamandra, 586

salar, *Salmo*, 131-8, 405

Salarias

atlanticus, 32, 427

edentulus, 433

Salmo, 110, 402

clarkii, 405

formosanus, 400-7

gairdnerii, 405

macrostomus, 404

masou, 404

orientalis, 404

salar, 131-8, 405

trutta, 405

samoensis, *Conidens*, 425

sapiens, *Homo*, 770

saponaceus, *Rypticus*, 443

Saprolegnia, 276, 684

Sargassum, 444

Satan, 340-1

Sator

angustus, 614

grandaevus, 613-9

saurita, *Coluber*, 741

sauritus proximus, *Thamnophis*, 745-6

sauritus sackeni, *Thamnophis*, 743

sauritus sauritus, *Thamnophis*, 745

sauritus, *Thamnophis*, 258-9, 595, 741-8

saurus, *Elops*, 456

sauvagei, *Phyllomedusa*, 182-3

sawrockensis, *Ictalurus*, 505-20

saxatilis, *Abudejduf*, 443

sayanus, *Aphredoderus*, 120

sayi, *Pituophis catenifer*, 438

scabra, *Echidna*, 664

Scaphiopus, 290

bombifrons, 761

Scartichthys, 428

Sceloporus, 437, 644-5, 773

grammicus, 299

occidentalis, 269

olivaceus, 299

poinsetti, 299, 761

magister zosteromus, 644

merriami, 299

undulatus, 299

variabilis, 299

scepticus, *Notropis*, 818

schlegelii, *Dermochelys coriacea*, 646

schmidtii, *Oreolalax*, 289

Sciaenops, 459

ocellata, 460, 550

Scinacodes, 196

Scincus, 200

Scomberomorus cavalla, 846

Scomber scombrus, 663

Scorpaena

guttata, 555, 842

plumieri mystes, 842

Scorpaenichthys marmoratus, 555

scorparia, *Uma*, 186

scorpiodes, *Kinosternon*, 182-3

scorpius, *Cottus*, 562

scovelli, *Syngnathus*, 220

scutator, *Belone*, 155

scutatum, *Hemidactylum*, 730

scutatus, *Notechis*, 313-4, 316, 438

Scutigera, 287-90

alicola, 288

brevipes, 290

glandulatus, 290

maculatus, 290

mammatus, 290

pingii, 289

sikkimensis, 287

tainingsensis, 290

Scutigera, 288

scutulatus scutulatus × *unicolor*, *Crotalus*, 438

sebae, *Python*, 438

Sebastodes

aurora, 847

helvomaculatus, 847-8

melanops, 838-40

rosaceus, 848

rubrivinctus, 847

sector, *Serrivomer*, 664-5

Selene vomer, 444-5, 456

Seminatrix pygaea, 258

Semotilus

atromaculatus, 410, 414-5, 560

corporalis, 410

senilis, *Gambusia*, 393

septentrionalis, *Cnemidophorus tigris*, 764

septentrionalis, *Hyla*, 199, 256, 434

septentrionalis, *Rana*, 257

septemvittata, *Natrix*, 258

sericeus amarus, *Rhodeus*, 378, 777-88

sericeus, *Rhodeus*, 777-8

- sericeus amarus*, *Rhodeus* \times *ocellatus ocellatus*, *Rhodeus*, 777, 779, 785
sericeus sericeus, *Rhodeus*, 777
Serranus, 852
baldwini, 852
Serrivomer, 665
sexlineatus, *Cnemidophorus*, 773
sexlineatus (group), *Cnemidophorus*, 210
shumardi, *Alburnops*, 808
shumardi, *Hybopsis*, 808
shumardi, *Minnilus*, 808
shumardi, *Notropis*, 807-18
shumardi, *Percina*, 807
signifer, *Acheilognathus lanceolatus*, 378
sikkimensis, *Bombinator*, 288
sikkimensis, *Scutigera*, 287
silus, *Crotalus willardi*, 160-3
silvestrii, *Amphisbaena*, 164-70
sipedon, *Natrix*, 258
Siren intermedia, 576-87
sirtalis sirtalis, *Thamnophis*, 322-9
sirtalis, *Thamnophis*, 255, 258-60, 595
Sistrurus catenatus, 761
Smilisca baudini, 256
smaragdina, *Oecophylla*, 737
Smaris, 109-10
smithi, *Brevoortia*, 461
sobaco, *Canthidermis*, 443
Solea, 111
Sonora mosaueri, 644
Sooglossus, 722
soporator, *Bathygobius*, 355
Spalax leucodon, 318
spatula, cf. *Lepisosteus*, 339, 508-9
speciosus, *Bufo*, 299
spelaea, *Amblyopsis*, 662
Spelerpes palmatus, 173
Sphaerodactylus, 644-5
cinereus, 644-5
notatus, 644-5
Sphaeroides, 459
maculatus, 460
sphenocephala, *Rana pipiens*, 259
Sphenodon, 732-5
punctatum, 734
sphenops, *Poecilia*, 360-8
Spheroides, sp., 797
spilomma, *Phrynohyas*, 651
spinachia, *Spinachia*, 549
spinalis ocellatus, *Rhodeus*, 778
spinosum, *Poterium*, 317
spinosus, *Bufo*, 643
spinosus, *Ichthyoscopus*, 462
spinosus, *Philautus*, 680
spinulosus, *Bufo*, 182-3
spitzii, *Elaphrosauria*, 833, 835
splendens, *Betta*, 358
springeri, *Gordichthys*, 665
springeri, *Paramyxine*, 805
stansburiana, *Uta*, 269
Steindachneria argentea, 443
steindachneri clippertonensis, *Ophioblennius*, 431
steindachneri, *Ophioblennius*, 426-33
stejnegeri, *Megophrys monticola*, 680
stellatus, *Platichthys*, 139
Stereochilus marginatus, 212
sternbergi, *Fundulus*, 512
stigma, *Barbus*, 467
stilbius, *Notropis*, 818
Stilosoma
extenuatum, 648-9
extenuatum arenicola, 648-9
extenuatum extenuatum, 648-9
extenuatum multistictum, 648-9
Stizostedion vitreum, 469
Stolephorus purpureus, 502
viridis, 659
stolifera, *Dussumieria*, 659
Storeria, 258
cf. dekayi, 255, 258-60
occipitomaculata, 258-9
storeriana, *Hybopsis*, 843
stouti, *Epiplatys*, 472
stouti, *Polistotrema*, 471
Strabomantis, 197
biporcatus, 197
streckeri, *Pseudacris*, 213-4, 256, 434
striatula, *Haldea*, 258
striatus, *Epinephalus*, 447, 449
striatus, *Ophicephalus*, 465
striatus, *Ophiodes*, 182-3
strigatus, *Antennatus*, 440
Strongylura, 153, 461
acus, 460
euryops, 154
longleyi, 154
marina, 153-9, 461
notata, 152-60, 460-1
notata forsythia, 155
timucu, 152-60
subocularis, *Elaphe*, 298
subterraneus, *Typhlichthys*, 662
subtruncata, *Belone*, 155
Subulina octona, 737
sucetta, *Erimyzon*, 120
sulcatus, *Pseudecheneis*, 656, 657
suspectum, *Heloderma*, 761
sylvatica, *Rana*, 257
Symphurus, 459
plagiata, 138, 143-4, 460
synagris, *Lutjanus*, 456

- Syngnathus*
 floridae, 460
 scobelli, 220
Synodus foetens, 460, 565
Syrrhophus, 197
 marnockii, 197, 299

tabacaria, *Fistularia*, 443
taeniata, *Betta*, 358
taeniatus, *Masticophis*, 761-2
tainingensis, *Scutigera*, 290
talpoideum, *Ambystoma*, 255
Tanakia, 389
Tarantula, 367
Taricha, 207-8, 576-87, 601
 granulosa, 576-87
 rivularis, 207-8
 torosa, 601
taurus, *Carcharias*, 456-7
taxifolia, *Pseudotsuga*, 179
taxispilota, *Natrix*, 258, 322
Teius teyou, 182-3
Teletrema, 198
 heterodactylum, 198
Tellia, 528
Telmatobius, 182-3
 hauthali, 182-3
 oxycephalus, 182-3
Tendipes fulvipilus, 367
Tenebrio molitor, 439
teratulus, *Phenacobius*, 369-77
terrestris, *Bufo*, 256
tesselata, *Natrix*, 258
tessellatus, *Cnemidophorus*, 750, 761, 773
Testudo, 317-21
 denticulata, 318
 elephantina, 318
 equicomes, 630
 graeca, 317-21
 graeca ibera, 317-21
 hermanni, 318-21
 incisa, 630
 insolitus, 635
 kalganensis, 630, 633
 marginata, 317-21
 pardalis, 317
 riggsi, 630
 rugosa, 627
 turgida, 628
 vandenburghii, 318
 wilsoni, 630
Tetraodon, 793
Tetrapturus albidus, 216
texana, *Holbrookia*, 187, 299
texanum, *Ambystoma*, 255
teyou, *Teius*, 182-3
Thalassia, 663

Thalassia, 459
Thamnophis, 285, 741
 brachystoma, 258-9
 cyrtopsis, 299
 elegans, 595
 marcianus, 258-9
 proximus, 741-8
 proximus \times *sauritus*, 746
 radix, 258, 306
 radix radix, 436
 sauritus, 255, 258-60, 595, 741-8
 sauritus proximus, 745-6
 sauritus sackeni, 743
 sauritus sauritus, 745
 sirtalis, 255, 258-60, 595
 sirtalis sirtalis, 322-9
 sp. indet., 255, 259-60
thayeri, *Lampropeltis*, 291-9
thayeri, *Lampropeltis mexicana*, 291-9
Thunnus
 alalunga, 219
 albacares, 219, 423, 468
 obesus, 219
 thynnus, 219
thynnus, *Thunnus*, 219
Thyrsites niger, 846-7
Tibicen linnei, 640
tigrinum, *Ambystoma*, 255
tigris aethiops, *Cnemidophorus*, 750, 764
tigris, *Cnemidophorus*, 749-65, 767-74
tigris gracilis, *Cnemidophorus*, 749-65, 767-74
tigris marmoratus, *Cnemidophorus*, 749-65, 767-74
tigris marmoratus \times *gracilis*, *Cnemidophorus*, 754-5, 765
tigris septentrionalis, *Cnemidophorus*, 764
tigris tigris, *Cnemidophorus*, 764
tigris variolosus, *Cnemidophorus*, 764
Tilapia, 203
 mossambica, 502
Tiligua, 284
timucu, *Esox*, 155
timucu, *Strongylura*, 152-60
Tomodactylus, 198
 amulae, 198
Tomopterna, 198
tornieri, *Nectophrynoides*, 722
torosa, *Taricha*, 601
torquata, *Hypsiglena*, 299
torquata ochorhyncha, *Hypsiglena*, 644
Trachinotus, 461
 falcatus, 460
trachytorax, *Hyla*, 182-3
Trematomus, 827
Triacanthus, 794
triangulum, *Lampropeltis*, 293

- triangulum*, *Lampropeltis doliata*, 438
triangulus mexicanus, *Ophibolus*, 298
tribulus, *Prionotus*, 460
tridentata, *Larrea*, 756
Trimeresurus, 315
Trimorphodon
 lambda, 761-2
 vilkinsoni, 298
Trinectes
 maculatus, 138-45
 maculatus fasciatus, 144
 maculatus maculatus, 144
trinitatis, *Ophioblennius*, 432
Triodon, 793-800
 bursarius, 793-800
triseriata, *Pseudacris*, 256, 434, 747
Triturus, 586
Trogloglanis, 340
Tropidoclonion, 258, 285
 lineatum, 258
truncata, *Belone*, 155
truncatus, *Blennius*, 432
trutta, *Salmo*, 405
tshawytscha, *Oncorhynchus*, 401
Tubifex, 274
tucumana, *Pleurodema*, 182-4
turcicus turcicus, *Hemidactylus*, 434-5
turgida, *Geochelone*, 627-35
turgida, *Geochelone* (*Hesperotestudo*), 628
turgida, *Gopherus*, 628
turgida, *Testudo*, 628
Tylosurus, 153, 155
 acus, 152-60
 euryops, 155
 gladius, 155
 raphidoma, 152-60
 sagitta, 155
Typhlichthys subterraneus, 662
Typhlops, 284, 590-7
 angolensis dubius, 590-7
 braminus, 590

Uma, 185-8, 437-8
 exsul, 186
 notata inornata, 186
 notata notata, 186
 notata rufopunctata, 186
 paraphygas, 186
 scoparia, 186
umbrifasciatus, *Hepatoscartes*, 427-8, 431
Umbrina, 110
undecimalis, *Centropomus*, 456-7
undulatus, *Gymnothorax*, 664
undulatus, *Sceloporus*, 299
unicolor, *Crotalus*, 438
Unio, 786
 caffer, 777-8, 783

uranops, *Phenacobius*, 369-77
Urosaurus nigricaudus, 644
Uta, 437
 stansburiana, 269

valeriae, *Haldea*, 258, 438
valeriae valeriae, *Haldea*, 438
valliceps, *Bufo*, 773
vandenburghii, *Testudo*, 318
vandykei idahoensis, *Plethodon*, 179
vandykei larselli, *Plethodon*, 177
vandykei, *Plethodon*, 178-9
vandykei vandykei, *Plethodon*, 177-9
variabilis, *Sceloporus*, 299
variegatus, *Coleonyx*, 761-2
variegatus, *Cyprinodon*, 528, 836-7
variolosus, *Cnemidophorus tigris*, 764
vehiculum, *Plethodon*, 180
ventralis, *Callisaurus draconoides*, 187
vermiculatus americanus, *Esox*, 114, 117, 119
vernalis, *Opheodrys*, 259
vigilis, *Xantusia*, 312
vilkinsoni, *Trimorphodon*, 298
Vipera, 315
 ammodytes, 313-5
 aspis, 309-10, 312, 315, 591
 berus, 310, 312, 315
 palestinae, 315
 russelli, 314-5
 xanthina palestinae, 313-5
virgatipes, *Rana*, 257
virgo pigus, *Rutilus*, 386
viridescens, *Diemictylus*, 576-87
viridis, *Bufo*, 256
viridis, *Crotalus*, 311-2
viridis lutosus, *Crotalus*, 312
viridis oregonus, *Crotalus*, 312
viridis, *Stolephorus*, 659
viridis viridis, *Bufo*, 643
vitreum, *Stizostedion*, 469-70
vittigera, *Rana limnocharis*, 680, 723
visayanus, *Rana magna*, 681, 693-7, 699, 718-23
volitans, *Pterois*, 842
vomer, *Selene*, 444-5, 456
vulpes, *Albula*, 565

wahlbergi, *Aspatharia*, 777-8, 783
watsoni, *Ophioblennius*, 433
webbi, *Blennophis*, 428, 432
wernerii, *Emoia*, 262, 266
whipplei, *Notropis*, 537
willardi amabilis, *Crotalus*, 160-3
willardi, *Crotalus*, 160-3
willardi meridionalis, *Crotalus*, 160-3
willardi silus, *Crotalus*, 160-3
willardi willardi, *Crotalus*, 160-3

- wilsoni*, *Geochelone*, 627-35
wilsoni, *Geochelone* (*Hesperotestudo*), 630
wilsoni, *Testudo*, 630
wohlschlagi, *Bathyraco*, 829-31
woodhousei, *Bufo*, 255-6, 260
woodiana, *Anodonta*, 786
woodsii, *Microdesmus*, 332
wrightii, *Batrachoseps*, 180-1
- Xanthichthys*, 444
ringens, 444
xanthina palestinae, *Vipera*, 313-5
xanthurus, *Leiostomus*, 460
Xantusia vigilis, 312
Xenomystax rictus, 664
Xenopus, 272-83
clivii, 280
laevis, 277, 281, 283
Xiphias gladius, 216
- Xiphophorus helleri*, 368
x-punctata, *Hybopsis*, 532-9
- yaito*, *Euthynnus*, 500
yessoensis, *Oncorhynchus*, 404
y-graecum, *Astroscopus*, 840-1
Yucca elata, 756
- Zachaeus*, 198
parvulus, 722
Zanclus canescens, 845
zebra, *Echidna*, 664
Zebrias japonicus, 144
zonata, *Lampropeltis*, 292-3
zonatum, *Elassoma*, 120
Zostera, 552
zosteriae, *Hippocampus*, 460
zosteromus, *Sceloporus magister*, 644
zweifeli, *Leimadophis*, 589

SUBJECT INDEX

- Acheilognathinae, intergeneric hybrids, 377-91
advertising, a collecting technique, 644
aggregation, copperheads, 640
Alaskan blackfish, 124-30
albinism
 corn snake, 436-7
 flatfish, 138-45
 stargazer, 837-8
ambicolorate Gulf flounder, 854
 flatfish, 138-45
anatomy, see morphology
anglerfish
 Atlantic record, 841
 skin spines, 842
anomalies, intergeneric fish hybrids, 382-8
antivenins, neutralize venom, 313-6
anura
 hemoglobin electrophoresis, 181-5
 origin, 835-6
arboreality, Cuban gecko, 644-5
Atlantic mackerel, predation, 663-4
- blood, extraction technique, 853-4
blue marlin, pectoral girdle, 220-1
body size, Cuban gecko, 644-5
breeding
 behavior, *Hymenochirus boettgeri*, 273
 behavior, Ozarkian minnows, 532-9
 Philippine frogs, 679-724
 tubercles, Ozarkian minnows, 532-9
brood care, Indian murrelet, 465-7
 hynobiid salamander, 638-40
bull shark, cannibalism, 455-6
- caecilian scales, 636-7
calcium, effect on lizards, 269-72
call discrimination, 213-5
cannibalism, sharks, 455-6
caudata, respiratory surfaces, 576-90
cave fish, Kentucky, 662
cave fish, Mexican, 360-8
cave salamander, new race, 300-5
chorus frogs, call discrimination, 213-5
clingfish, new species, 424
 Amami Islands, 851-2
cloacal temperatures, sea turtles, 647-8
collecting technique, desert lizards, 437-8
color
 Anolis barkeri, 642
 Arkansas darter, 557
 desert whiptail lizards, 750-5
 Lepophidium, 489-96
 Mexican kingsnakes, 295-6
 Phenacobius, 372-3
 redfin pickerel, 115
 silver pike, atypical, 449-50
 skipjack tuna, 502
 white shark, 661
copperheads, aggregation, 640
copulation, Aegean land tortoise, 317-21
courtship, *Gambusia affinis*, 296-9
cranial
 elements, plethodontids, 727-32
 muscles, *Sphenodon*, 732-5
Cretaceous, new sawfish, 775-7
crocodiles, attack on boats, 203-6
cycloid scales, caecilian, 636-7

cyprinids

- distribution in Ohio, 842-3
- hybridization, 147-52
- intergeneric hybrids, 377-91

Cyprinodontinae, 520-31

darter, new species, 556

defensive behavior, lapón, 842

desert whiptail lizard, hybridization, 749-74

development, see embryology

distribution

Aegean land tortoise, 317-21

Atlantic marlin, 216-9

California halibut, 840

clingfishes, 851-2

cyprinids in Ohio, 842-3

Empetrichthys, 524-31

Gulf of Mexico fish, 442-4

Haldea valeriae, 438-9

leatherback turtles, 646

Lepophidium, 487-97

mako shark, 462

many-line salamander, 212

mediterranean gecko, 434-5

Mexican kingsnakes, 297

Plethodon larselli, 179-81

red-bellied turtle, 649-51

redfin pickerel, 117

Rhodeus, 777-8

ribbon snake, 744-7

rockfish, 847-8

sand shark, 456-7

scarlet snake, 637-8

sharks, 654-5

short-tailed snake, 648-9

silverband shiner, 812

swordfish, 216-9

tubenose, 550-1

walleye, 469-71

whiptail lizards, 749-50

white shark, 446-7

drumfish, labyrinth morphology, 336-8

ear, morphology in sand lizards, 185-8

earthworms, as snake food, 436

ecology

Rana pipiens, 189-94

needlefish, 152-63

eels, vertebral counts, 664-5

egg deposition, slimy salamander, 590-3

eggs

Hymenochirus boettgeri, 273

Philippine frogs, 679-724

Phyllomedusa medinae, 588-9

redfin pickerel, 118-9

transparency, 561-7

western yellow-bellied racer, 212-3

zebrafish, 788-92

electrocardiogram, iguanid lizards, 269-72

electrophoresis

anuran hemoglobin, 181-5

whiptail lizard proteins, 767-74

embryology

fourspot flounder, 454-5

gartersnake, 322-9

Hymenochirus boettgeri, 274-6

Philippine frogs, 679-724

Rana pipiens, 189-94

red shiner, 539-42

tubenose, 554-5

evolution, anuran origin, 835-6

eye, anatomy in cave salamander, 303

eye, blind red drum, 440-2

fat storage, rattlesnake, 310-1

feeding

black marlin, 468

Fowler's toad, 439

Hymenochirus boettgeri, 277-83

skipjack tuna, 499-502

flatfish, anomalous specimens, 138-45

flounder

larvae, 454-5

reversed ambicolorate, 854

fossils, see paleontology

food

Anolis barkeri, 642

Indian murrelet, 465-7

Malayan toad, 736-41

Mexican kingsnakes, 299

redfin pickerel, 119-21

sharks, 455-6

tubenose, 551

frogfish, species restored, 440

Fundulinae, 520-31

gartersnakes, development stages, 322-9

garter snakes, valid species, 741-8

geckos, Java house, 262-9

genetics, *Rana pipiens*, 189-94

geographic variation, silverband shiner, 811-6

giant salamander, in California, 646-7

gills, hagfish, 804

gobioid fish, new species, 331

gonads, *Notropis* hybrids, 451-2gonopodia, *Gambusia*, 292-4

green sea turtle, 647-8

growth

Alaskan blackfish, 127-8

redfin pickerel, 121-3

skipjack tuna, 503

slimy salamander, 597-613

spotted seatrout, 545-6

summer flounder, 468-9

habitat

- Mexican kingsnakes, 298-9
- redfin pickerel, 118
- tubenose, 551

hagfish

- anatomy, 801-6
- survival in sea water, 471-3
- variation, 801-6

halibut, range, 840-1

hawksbill, seaturtle, 647-8

hemipenes, Mexican kingsnakes, 293-4

hemoglobin, electrophoresis in *Anura*, 181-5

hermaphroditism, *Notropis* hybrids, 450-2

herring, Atlantic, blood cells, 463-4

heterostomata, anomalous specimens, 138-45

historical notes on fish, 850-1

homing behavior, *Taricha torosa*, 207-8

hurricane, effects on fish, 459-62

hybridization

- cyprinids, 147-52
- desert whiptail lizard, 749-74
- intergeneric fish, 377-91
- Notropis*, 450-2
- Rhodeus*, 777-87

ilia, morphology in frogs, 434

Indian murrel, 465-7

injuries, skipjack tuna, 503-4

introduced frogs in Italy, 642-3

Johnny darter, feeding behavior, 567-70

key

- Centrarchidae, 96-8
- Elassomiidae, 96-8
- Lepadichthys*, 425
- Lepophidiinae, eastern Pacific, 488
- Microdesmus*, Atlantic, 335
- needlefish, western Atlantic, 155
- Nototheniidae genera, 821
- Priacanthidae, western Atlantic, 423

killifish, taxonomic status, 836-7

kingsnakes, 291-300

labyrinth morphology, drumfish, 336-8

lamellae, Cuban geckos, 644-6

landlocked salmon, spawning, 131-7

lapón, defensive movements, 842

larvae

- fish, transparency, 561-7
- flounder, 454-5
- Hymenochirus boettgeri*, 272-83
- Philippine frogs, 679-724
- red shiner, 539-42
- tubenose, 554-5

larvicides, sea lamprey, 652-3

lateralis system, *Lepophidium*, 496

lateral line cupulae, *Mugiliformes*, 109-14

latero-sensory canal bones, anatomy, 854-5

leatherback turtles, distribution, 646

lemon shark, cannibalism, 455-6

leptodactylids, taxonomy, 195-202

Leptotyphlopidae, urogenital structures, 590-7

life histories

Alaskan blackfish, 124-30

Philippine frogs, 679-724

slimy salamander, 597-613

longevity, snakes, 438

lookdown, large specimen, 444-5

lungs, Caudata, 579-81

mako shark, Maine record, 462

Malayan toad, food, 736-41

many-lined salamander, distribution, 212

marlin, Atlantic distribution, 216-9

mating

Badis badis, 346-59

geckos, 266-7

meristics

Arkansas darter, 559-60

cyprinid hybrids, 150-1

Formosan salmonids, 401-2

intergeneric fish hybrids, 379-82, 385-8

Lepophidium, 490-3

Microdesmus, 333-5

needlefish, 158-9

Phenacobius, 371-2

redfin pickerel, 115

migration

landlocked salmon, 132-3

spotted seatrout, 546-7

stoneroller minnow, 408

moorish idol, pelagic stages, 844-5

morphology

cave salamander eye, 303

cyprinid hybrids, 147-51

cyprinodonts, 524-8

drumfish labyrinth, 336-8

eye of blind drum, 440-2

frog ilia, 434

gymnodont fish, 793-800

internal nares in *Ichthyoscopus*, 462

marlin pectoral girdle, 220-1

Microdesmus, 333-5

middle ear of sand lizards, 185-8

needlefish, 136-9

plethodontids, 727-32

primitive gymnodont, 793-800

rockfish olfactory apparatus, 838-40

Sator grandaevus skeleton, 613-9

sisorid fish pelvic girdle, 656-7

worm snake urogenitals, 590-7

mouth, vascularization in Caudata, 581-2

Mugiliformes, lateral line cupulae, 109-14

- mullet, parasite cleaning, 662-3
 mullet, schooling, 453
 muscles, *Sphenodon*, 732-5
- nares, internal, in *Ichthyoscopus*, 462
 Nassau grouper, sound production, 447-9
 needlefish, 152-63
 nest building, stoneroller minnow, 411-3
 nesting, red salamander, 206-7
 nototheniid fish, new genus and species, 826-33
- olfactory apparatus, black rockfish, 838-40
 ontogenetic changes, needlefish, 152-63
 Osteichthyes, transparent eggs and larvae, 561-7
 ovaries
 - Alaskan blackfish, 128-30
 - geckos, 264-6
 - rattlesnake, 307
 - zebrafish, 789-90
 oviducts, worm snakes, 590-7
- painted turtle, water content in organs, 570-5
 paleoecology, Pleistocene herpetofauna, 260-1
 paleontology
 - Cretaceous sawfish, 775-7
 - Pleistocene fish, 338-45
 - Pleistocene herpetofauna, 255-61, 627-35
 - Pliocene fish, California, 520-31
 - Pliocene fish, High Plains, 505-19
 paraformaldehyde, 209-10
 parasites
 - Alaskan blackfish, 130
 - cleaning, mullet, 662-3
 - redfin pickerel, 123
 pathology, *Sator grandaeus*, 618-9
 pectoral girdle, blue marlin, 220-1
 pelagic stages, moorish idol, 844-5
 Pelobatidae, taxonomy, 287-91
 pelvic girdle, sisorid fish, 656-7
Phenacobius, fine-scaled species, 373
 Philippine frogs, 679-724
 photographic technique, 445-6
 pipefish, freshwater population, 220
 plasma proteins, electrophoresis, 767-74
 Pleistocene fish, Texas, 338-45
 Pleistocene herpetofauna, 255-61, 627-35
 plethodontids, cranial osteology, 727-32
 Pliocene cyprinodont, 520-31
 Pliocene fish, High Plains, 505-19
 predation, Atlantic mackerel, 663-4
 predation, sea lamprey, 663-4
 preservative, 209-10
 Priacanthidae in western Atlantic, 419-23
- racer, western yellow-bellied, eggs and young, 212-3
 range, see distribution
- rattlesnake, venom, 208-9
 red-bellied turtle, former distribution, 649-51
 red drum, eyes of blind, 440-2
 redfin pickerel, 115-23
 red salamander, nesting, 206-7
 red shiner, post-hatching stages, 539-44
 reproduction, Philippine frogs, 679-724
 reproductive
 - behavior, stoneroller minnow, 407-17
 - cycle, slimy salamander, 597-613
 - cycle, zebrafish, 788-92
 - cycles, rattlesnake, 306-13
 - potential, rattlesnake, 306-13
 respiratory pigments, anurans, 181-5
 respiratory surfaces, Caudata, 576-90
 ribbon snake, distribution, 744-7
 valid species, 741-8
 rockfish
 - northern range, 840
 - olfactory apparatus, 838-40
 sailfish, spawning, 453
 salinity, influence on flounder growth, 468-9
 salmon, 131-7
 - Formosan landlocked, 400-7
 sand lizards, middle ear morphology, 185-8
 sand shark, Florida record, 456-7
 sawfish, Texas Cretaceous, 775-7
 scarlet snake, distribution, 637-8
 schooling
 - skipjack tuna, 502-3
 - striped mullet, 453
 - tubenose, 551
 sea lamprey
 - larvicides, 652-3
 - predation, 663-4
 sex differentiation, redfin pickerel, 118
 sex-ratio
 - landlocked salmon, 135-6
 - redfin pickerel, 118
 sexual
 - behavior, *Badis badis*, 346-59
 - dimorphism, *Notropis* hybrids, 450-2
 - dimorphism, Ozarkian minnows, 532-9
 - dimorphism, *Phyllomedusa*, 589-90
 - dimorphism, stoneroller minnow, 408-9
 - maturity, rattlesnake, 307
 sharks
 - behavior, 655
 - behavior in captivity, 457-9
 - cannibalism, 455-6
 - distribution, 654-5
 - food, 655
 - reproduction, 656
 short-tailed snake, distribution, 648-9
 silverband shiner, 807-18
 silver pike, atypical color, 449-50

- size, tubenose, 549-50
- skin structure, Caudata, 576-8
- skipjack tuna, captive behavior, 499-505
- slime glands, hagfish, 802
- slimy salamander, variation in life history, 597-613
- sonograms, Nassau grouper, 448
- sound production, Nassau grouper, 447-9
- spawning
 - Atlantic sailfish, 453
 - Badis badis*, 351-4
 - landlocked salmon, 131-7
 - redfin pickerel, 118-9
 - stoneroller minnow, 409-11
 - tubenose, 552-4
- spearfishes, type specimens available, 467-8
- spotted seatrout, 544-8
- stargazer, partial albinism, 837-8
- stoneroller minnow, 408-17
- summer flounder, growth, 468-9
- swordfish, Atlantic distribution, 216-9
- systematics, see taxonomy
- tadpole, see larvae
- taxonomy
 - amphisbaenids, 164-70
 - Anolis barkeri*, 640-2
 - anuran, 181-5
 - catfish fossils, 514
 - clingfish, 424-5
 - cyprinid fossils, 520-32
 - cyprinid hybrids, 147-52, 377-90
 - frogfish, restored species, 440
 - Gambusia*, 391-6
 - garter snakes, 741-8
 - hylid skeletal characters, 434
 - Jenkinsia*, 659
 - kingsnakes, Mexican, 291-300
 - Lampetra* type, 221-2
 - Lepophidium*, 487-98
 - leptodactylids, American, 195-202
 - Macraris amissus*, 657-8
 - Microdesmus*, 330-6
 - minnow fossils, 511
 - needlefish, 153-5
 - Nyctimystes*, 435-6
 - Ophioblennius* review, 426-33
 - pelobatids, Asian, 287-91
 - percoid fish, 556-1
 - Phenacobius*, 369-77
 - Phyllomedusa*, 588-90
 - plethodontid genera, 727-32
 - plethodontid species, 300-6, 215-6, 170-81
 - Priacanthidae, 417-24
 - rattlesnake, 160-3
 - Rhodeus* hybrids, 777-87
 - ribbon snakes, 741-8
 - salmonid fish, 400-7
 - sawfish, fossil, 775-6
 - short-tailed snake, 648-9
 - spearfish types, 467-8
 - teiid lizards, 833-5
 - tortoise, fossil, 627-35
 - whiptail lizards, 749-74, 620-7, 210-2
 - worm snakes, 590-7
- technique, collecting, 644
- teiid lizards, 833-5
- temperatures, cloacal, sea turtles, 647-8
- territoriality, stoneroller minnow, 411-6
- testes, geckos, 266-7
- tortoise, copulation, 317-21
- Texas Pleistocene, 627-35
- toxicity, *Phrynohyas* secretions, 651
- tuatara, cranial muscles, 732-5
- tubenose fish, life history and ecology, 549-55
- type specimens, spearfishes, 467-8
- Typhlopidae, urogenital structures, 590-7
- urogenital structures, worm snakes, 590-7
- venom
 - eastern diamondback, 208-9
 - neutralization by antivenins, 313-6
- vertebral counts, eels, 664-5
- vision, darter feeding behavior, 567-70
- walleye, distribution, 469-71
- whiptail lizard
 - hybridization, 749-74
 - protein electrophoresis, 767-74
- white shark
 - distribution, 446-7
 - size, 659-61
- worm snakes, urogenital structures, 590-7
- zebrafish, reproduction, 788-92
- zoarcid fish, new genus and species, 819-26